

NOTES

All dimensions in millimetres.

Edging details to comply with BS.EN.1340:2003.

Edging size 50mm x 200mm.

Edgings to be hydraulically pressed.

Found and haunch to be mix ST4 concrete.

Edgings to be laid and bedded on a layer of designation (i) mortar not less than 10mm and not more than 40mm thick. Alternatively, edgings may be laid directly on the concrete foundation while it is still plastic.

All edgings to be abutted, except edgings laid to a radius of less than 40m which shall be laid with an average gap of 6mm and pointed with designation (i) mortar.

