

WCAG 2.2 Accessibility Audit, Assessment & Compliance Testing

Deliverable D1:
Complete Audit report
with results, findings and
analysis.




ACCESS TECHNOLOGY COMPANY

March 26, 2024

**For City of
Edinburgh Council**

Version 1.0



Contents

Document Control.....	4
Executive Summary	5
Evaluation Background.....	5
Client Goals	5
Primary Objectives	5
Audit Process Introduction	6
The website samples listed in Appendix I were measured against the Web Accessibility Initiative's (WAI) Web Content Accessibility Guidelines 2.2 (WCAG 2.2) Level A And AA, to give accurate feedback on non-compliance issues.	6
Successful compliance and accreditation are defined by meeting and achieving success in all WCAG (A) and (AA) criteria markers.	6
The ATC Audit team uses three different testing methods to accurately measure the website samples' compliance.....	6
Methodology.....	6
We assessed both the template accessibility and content accessibility of the agreed sample set using the following:.....	6
1. A selection of webpages that incorporate diverse components and designs implemented on the website, including various navigational elements, content elements, or types of content.....	6
2. The user journeys to be navigated by users throughout the site.....	6
3. The different types of browsers and assistive technology to be tested.....	6
Automatic Testing.....	6
Manual Testing.....	6
Technology Matrix.....	7
Device and browsers.....	7
Assistive technology combinations	7
Definition of Accessibility Issue Compliance	7
Success Criteria Classification	7
Audit Results Summary and Recommended Actions.....	8
WCAG Compliance Summary	8
Dashboard Data	8
Issue and Impact Summary:.....	8
WCAG 2.2 AA Alignment:	8
Usability for Assistive Technologies:	9

Document Control

Document Title	Deliverable D1: Complete Audit report with results, findings and analysis.
Version Number	V1.0
Client	City of Edinburgh Council
Project Lead	Josh Robertson
User Testing Lead	Angie McDowell
Effective Date	22 nd March 2024
Date Approved	26 th March 2024
Quality Checked & Approved By	David Robertson
Date of Next Review	31 st January 2025

Executive Summary

This report describes the conformance of the City of Edinburgh's website with W3C's Web Content Accessibility Guidelines (WCAG) (<https://www.w3.org/WAI/standards-guidelines/wcag/>).

The review process is described in Audit Process Introduction section below and is based on evaluation described in Accessibility Evaluation Resources (<https://www.w3.org/WAI/eval/>).

Based on this evaluation, the City of Edinburgh's website is close to meeting WCAG 2.1, WCAG 2.2, Conformance Level AA.

Detailed review results are available in the Audit Results Summary and Recommended Actions section below.

Feedback on this evaluation is welcome.

Evaluation Background

The City of Edinburgh Council website (www.edinburgh.gov.uk) offers core council services as well as a resource for citizens and visitors to the City of Edinburgh to access news, performance, and research information.

The City of Edinburgh Council recognise the importance of providing user-centred and inclusive services to all users, this includes users with disabilities in addition to those that do not require additional needs.

It is important to the City of Edinburgh Council to have a clear understanding of any accessibility issues for users of their services.

Client Goals

- **#1:** Provide a clear understanding of any accessibility issues for users of their services.
- **#2:** Determine whether there are any accessibility barriers remaining on the Council website.
- **#3:** Microsoft Windows devices, Android, Apple (iPhone/iPad) devices and a wide range of browsers to be included to ensure the website can be used by the widest audience in the client user base.
- **#4:** Ensure compliance with WCAG 2.2 A/AA and the Public Sector Bodies (Websites and Mobile Applications) (No.2) Accessibility Regulations 2018.
- **#5:** Assessment methodology consistent with WCAG recommended guidelines.
- **#6:** Assessment reporting including scope of the assessment, methodology, summary of findings, and any recommendations, where applicable, on how the findings can be addressed.

Primary Objectives

- **To conduct a thorough audit** of the City of Edinburgh Council's website against the Public Accessibility Regulations 2018 and WCAG 2.2 standards.
- **To identify any accessibility barriers** within the website and recommend actionable improvements.

- **To ensure that the website offers an inclusive user experience**, meeting the needs of all users, including those with disabilities.

Audit Process Introduction

The website samples listed in Appendix I were measured against the Web Accessibility Initiative's (WAI) Web Content Accessibility Guidelines 2.2 (WCAG 2.2) Level A And AA, to give accurate feedback on non-compliance issues.

Successful compliance and accreditation are defined by meeting and achieving success in all WCAG (A) and (AA) criteria markers.

The ATC Audit team uses three different testing methods to accurately measure the website samples' compliance.

Methodology

We assessed both the template accessibility and content accessibility of the agreed sample set using the following:

1. A selection of webpages that incorporate diverse components and designs implemented on the website, including various navigational elements, content elements, or types of content.
2. The user journeys to be navigated by users throughout the site.
3. The different types of browsers and assistive technology to be tested.

Automatic Testing

Each sample was tested with a bespoke automated testing platform that utilises gold standard industry standard tools (PA11Y, AXE-Core, Wave). Results were verified by manual review of criteria failures where appropriate to reduce false positives, i.e. colour contrast based on font size.

Manual Testing

Testing WCAG 2.2 AA principles manually based on a feature set of sample pages, i.e. ensuring tables, lists, images, etc., are detectable and usable programmatically.

This stage was performed using the appropriate assistive technology and across multiple browsers as identified in the scope.

Where appropriate, code review was conducted of sample pages to ensure proper WCAG 2.2 AA criteria compliance.

Technology Matrix

Device and browsers

The following device/browser combinations were in scope.

Manufacturer	Operating System	Device	Browser Combinations
Microsoft	Windows 10/11	Desktop/Laptop	Edge/Chrome/Firefox
Apple	iOS / iPadOS	iPhone / iPad	Safari
Samsung/Google/Other	Android 13	Samsung A13	Chrome

Table 1- Device-Browser matrix

Assistive technology combinations

The following assistive technology testing and matching user type were included.

Assistive Technology Type	Assistive Technology Software	Device
Screen Readers	NVDA / JAWS /VoiceOver / Talkback	Desktop/Laptop/iPhone / Samsung Mobile
Screen Magnifiers	ZoomText / Zoom & Smart Invert / Magnification	Desktop / iPhone & iPad / Samsung Mobile
Proofing Tool Checker	Claro 12	Desktop/Laptop
Speech Recognition	Dragon NaturallySpeaking Professional 15	Desktop/Laptop

Table 2 - Assistive Technology

Definition of Accessibility Issue Compliance

Success Criteria Classification

The following scoring system was used to indicate the status of the sites about each W3C WAI checkpoint up to and including WCAG2.1, 2.2 for Level A and AA.

Test Status	Meaning
Pass (P)	The site meets the requirements of the checkpoint or has no applicable related content
Fail (M) Medium Priority	The site fails to meet the WCAG 2.2 requirements measured against AA criteria
Fail (H) High Priority	The site fails to meet the WCAG 2.2 requirements measured against A criteria

Table 3 - Test scoring system

Audit Results Summary and Recommended Actions

WCAG Compliance Summary

Reported on 56 of 56 WCAG 2.2 AA Success Criteria.

- 21 Passed
- 35 Failed

Dashboard Data




Table 4 - Overview of site compliance

Issue and Impact Summary:

Identifying accessibility issues, their impact on users with various impairments, and recommendations for remediation. The summary will include dashboard data showcasing issues, WCAG 2.2 scores, and essential findings to provide a clear view of (www.edinburgh.gov.uk)'s accessibility status.

WCAG 2.2 AA Alignment:

Analysis based on W3C's standard reporting guidelines, pinpointing areas where (www.edinburgh.gov.uk) falls short of WCAG 2.2 AA criteria, the implications of these gaps, and steps for achieving compliance.

Usability for Assistive Technologies:

Insights into usability for users with different impairments, highlighted challenges encountered with assistive technologies. This underlines user experience aspects critical for effective remediation planning.

The Google Analytics account for (www.edinburgh.gov.uk) helped us to analyse actual user engagement and behaviour directly. This enabled us to identify the most frequently used features and user journeys, ensuring that the usability audit priorities focused on areas of high user impact, balanced with test data available.

This enabled us to determine a meaningful user journey testing set shown below.

User Journey Testing Set




Table 5 - User Journey Test Config

Usability Scorecard

The following scoring system was used to indicate the experience of assistive technology users by the following groups.

- Low Vision – screen reader user
- Low Vision – magnifier/reader user
- Neurodiverse
- Hearing impairments – visual information aids
- Motor / Neuromuscular – alternative input methods including speech recognition and voice access.




Table 6 - User Journey Difficulty

Recommended Actions

Summary review interpretation

The collection of websites tested (the agreed sample) is close to meeting WCAG2.1 A, AA in many of the standardised templates with some modifications required to the design elements of others.

For the most part many of the deficiencies identified occurred with older or non-standard templates or interface/interaction with other partner websites.

Areas of strength were the use of keyboard access, landmarks and regions and appropriate headings and suitable link structure.

Recommended priorities for addressing inaccessible features are focused on the header and navigation bar areas and widgets such as Cookies and Chatbot interaction. To a lesser degree some minor modification and remediation is required to several elements of form field data processing.

Detailed Audit results

Since the audit was performed for all 56 WCAG criteria over effectively **28-30** different template types including Forms and branches amounted to **42** web pages tested which is a significant volume.

To provide clarity and conciseness the detailed audit results are presented in appendices as follows:

- 1. Appendix I – Detailed Audit Results**
- 2. Appendix II - Sample of Audited Web Pages**
- 3. Appendix II - Page specific WCAG Results**

This and other salient findings and issues raised by the Audit will be presented and discussed at the agreed meeting **Deliverable D2 on Tuesday 26th March**.

Remediation Recommendations:

Offering targeted solutions for identified issues, this part will present a roadmap for The City of Edinburgh Council to address and rectify accessibility shortcomings in www.edinburgh.gov.uk, ensuring a barrier-free user experience.

This singular report aims to be direct and actionable, providing The City of Edinburgh Council with the necessary insights and guidance to enhance www.edinburgh.gov.uk's digital accessibility and user inclusivity effectively.

Deliverables

The deliverables below represent the complete delivery of the programme of works as set out in the original proposal.

This will provide comprehensive analysis and reporting tailored for the Council to guide (www.edinburgh.gov.uk) towards full compliance with WCAG 2.2 AA guidelines and UK digital accessibility laws.

The reports will encompass:

Deliverable Name	Type	Completion Date
D1 Complete Audit report with results, findings and recommendations	Report Document	26 th March 2024
D2 Client acceptance meeting confirming findings and discussing remediation	Report Review & Discussion	26 th March 2024

Table 7 - Deliverables

Conclusion

This project proposal represents a crucial step towards ensuring The City of Edinburgh Council's website is fully accessible, in line with the Public Accessibility Regulations 2018 and WCAG 2.2 standards.

By identifying and rectifying accessibility barriers, the Council will not only comply with legal requirements but also enhance the user experience for all visitors, reinforcing City of Edinburgh 's commitment to inclusivity and equality.

Furthermore, The City of Edinburgh Council 's decision to engage with a supported business such as ours underscores a broader commitment to community wealth building and the support and empowerment of disabled individuals within the community.

For Further Information

If you have any queries or require further information concerning this proposal, please contact me on the following in the first instance.

David Robertson

The Access Technology Company

Tel. 0330 022 1700 / 0845 402 0320

Email: david.robertson@accesstechnologycompany.co.uk

Appendix I: Detailed Audit Results

Principle 1: Perceivable – Information and users interface components must be presentable to users in ways they can perceive.

Success Criterion	Result	URL Identifier	No. of Failures
1.1 Text Alternatives			
1.1.1 - Non-text Content	FAIL (H)	https://edinburgh.zipporah.co.uk/Registrars.Edinburgh.Live#	4
1.1.1 - Non-text Content	FAIL (H)	https://www.edinburghfostering.org.uk/	1
1.1.1 - Non-text Content	FAIL (H)	https://yourlibrary.edinburgh.gov.uk/web/arena/magazines	5
1.1.1 - Non-text Content	FAIL (H)	https://www.edinburgh.gov.uk/news	1
1.2 Time-based Media			
1.2.1 - Audio-only and Video-only (Prerecorded)	PASS	N/A	0
1.2.2 - Captions (Prerecorded)	PASS	N/A	0
1.2.3 - Audio Description or Media Alternative (Prerecorded)	FAIL (H)	https://www.edinburgh.gov.uk/homepage/10503/low-emission-zone	1
1.2.4 - Captions (Live)	FAIL (M)	https://edinburgh.public-i.tv/core/portal/webcast_interactive/859973	1

Principle 1: Perceivable – Information and users interface components must be presentable to users in ways they can perceive.

1.2.5 - Audio Description (Prerecorded)	FAIL (M)	https://www.edinburgh.gov.uk/homepage/10503/low-emission-zone	1
1.3 Adaptable			
1.3.1 - Info and Relationships	FAIL (H)	https://coedinburgh-self.achieveservice.com/service/Benefits__Change_In_Circumstances	2
1.3.1 - Info and Relationships	FAIL (H)	https://edinburgh.zipporah.co.uk/Registrars.Edinburgh.Live#	31
1.3.1 - Info and Relationships	FAIL (H)	https://democracy.edinburgh.gov.uk/uuCoverPage.aspx?bcr=1	2
1.3.1 - Info and Relationships	FAIL (H)	https://espws.necsws.com/ords/pwslive/f?p=14150:50:5351142386563:INITIALISE:::APP_TRANSACTION_ACTIVE_IND,APP_PRODUCT_FEATURE:Y,PWS&cs=3_prJligwLPkgIRbFu-IVGWbsDoVMo1XYXBFK-vp08xY6HipdZDx3nE17FwCUDgHfruyGMUri0u4PTYUAU2f8xA	1
1.3.1 - Info and Relationships	FAIL (H)	https://www.edinburgh.gov.uk/	11
1.3.1 - Info and Relationships	FAIL (H)	https://www.edinburgh.gov.uk/blog/jobsboard/page/1	3
1.3.1 - Info and Relationships	FAIL (H)	https://cpe-qa-edinburgh.squiz.co.uk/site/portal/request/licence_hmo	13
1.3.1 - Info and Relationships	FAIL (H)	https://www.edinburgh.gov.uk/homepage/10503/low-emission-zone	4
1.3.1 - Info and Relationships	FAIL (H)	https://yourlibrary.edinburgh.gov.uk/web/arena/magazines	14
1.3.1 - Info and Relationships	FAIL (H)	https://www.edinburgh.gov.uk/national-support-network-directory	8
1.3.1 - Info and Relationships	FAIL (H)	https://edinburgh.public-i.tv/core/portal/webcast_interactive/859973	13
1.3.1 - Info and Relationships	FAIL (H)	https://webforms.edinburgh.gov.uk/site/portal/request/road_defect	7

Principle 1: Perceivable – Information and users interface components must be presentable to users in ways they can perceive.

1.3.1 - Info and Relationships	FAIL (H)	https://www.edinburgh.gov.uk/benefits-grants/scottish-welfare-fund/2?documentId=12271&categoryId=20127#top	2
1.3.2 - Meaningful Sequence	FAIL (H)	Cookie Bar	1
1.3.2 - Meaningful Sequence	FAIL (H)	https://www.edinburgh.gov.uk/	1
1.3.2 - Meaningful Sequence	FAIL (H)	https://cpe-qa-edinburgh.squiz.co.uk/site/portal/request/licence_hmo	1
1.3.2 - Meaningful Sequence	FAIL (H)	https://yourlibrary.edinburgh.gov.uk/web/arena/magazines	1
1.3.3 - Sensory Characteristics	FAIL (H)	https://www.edinburgh.gov.uk/national-support-network-directory	1
1.3.4 - Orientation	PASS	N/A	0
1.3.5 - Identify Input Purpose	FAIL (M)	https://coedinburgh-self.achieveservice.com/service/Benefits__Change_In_Circumstances	11
1.3.5 - Identify Input Purpose	FAIL (M)	https://edinburgh.zipporah.co.uk/Registrars.Edinburgh.Live#	5
1.3.5 - Identify Input Purpose	FAIL (M)	https://www.edinburgh.gov.uk/xfp/form/302	6
1.3.5 - Identify Input Purpose	FAIL (M)	https://espws.necsws.com/ords/pwslive/f?p=14150:50:5351142386563:INITIALISE:::APP_TRANSACTION_ACTIVE_IND,APP_PRODUCT_FEATURE:Y,PWS&cs=3_prJligwLPkgIRbFu-IVGWbsDoVMo1XYXBFK-vp08xY6HipdZDx3nE17FwCUDgHfruyGMUri0u4PTYUAU2f8xA	6
1.3.5 - Identify Input Purpose	FAIL (M)	https://cpe-qa-edinburgh.squiz.co.uk/site/portal/request/licence_hmo	1

Principle 1: Perceivable – Information and users interface components must be presentable to users in ways they can perceive.

1.4 Distinguishable

1.4.1 - Use of Color	FAIL (H)	https://www.edinburghfostering.org.uk/	2
1.4.1 - Use of Color	FAIL (H)	https://yourlibrary.edinburgh.gov.uk/web/arena/magazines	1
1.4.2 - Audio Control	PASS	N/A	0
1.4.3 - Contrast (Minimum)	FAIL (M)	https://espws.necsws.com/ords/pwslive/f?p=14150:50:5351142386563:INITIALISE:::APP_TRANSACTION_ACTIVE_IND,APP_PRODUCT_FEATURE:Y,PWS&cs=3_prJligwLPkgIRbFu-IVGWbsDoVMo1XYXBFK-vp08xY6HipdZDx3nE17FwCUDgHfruyGMUri0u4PTYUAU2f8xA	3
1.4.3 - Contrast (Minimum)	FAIL (M)	https://www.edinburghfostering.org.uk/	1
1.4.4 - Resize text	FAIL (M)	https://www.edinburgh.gov.uk/	1
1.4.4 - Resize text	FAIL (M)	https://yourlibrary.edinburgh.gov.uk/web/arena/magazines	1
1.4.4 - Resize text	FAIL (M)	https://edinburgh.public-i.tv/core/portal/webcast_interactive/859973	1
1.4.5 - Images of Text	FAIL (M)	https://yourlibrary.edinburgh.gov.uk/web/arena/magazines	1
1.4.10 - Reflow	FAIL (M)	https://www.edinburgh.gov.uk/	1
1.4.10 - Reflow	FAIL (M)	https://yourlibrary.edinburgh.gov.uk/web/arena/magazines	1
1.4.10 - Reflow	FAIL (M)	https://www.edinburgh.gov.uk/national-support-network-directory	1
1.4.11 - Non-text Contrast	FAIL (M)	https://coedinburgh-self.achieveservice.com/service/Benefits__Change_In_Circumstances	33

Principle 1: Perceivable – Information and users interface components must be presentable to users in ways they can perceive.

1.4.11 - Non-text Contrast	FAIL (M)	https://edinburgh.zipporah.co.uk/Registrars.Edinburgh.Live#	1
1.4.11 - Non-text Contrast	FAIL (M)	https://espws.necsws.com/ords/pwslive/f?p=14150:50:5351142386563:INITIALISE:::APP_TRANSACTION_ACTIVE_IND,APP_PRODUCT_FEATURE:Y,PWS&cs=3_prJligwLPkgIRbFu-IVGWbsDoVMo1XYXBFK-vp08xY6HipdZDx3nE17FwCUDgHfruyGMUri0u4PTYUAU2f8xA	28
1.4.11 - Non-text Contrast	FAIL (M)	https://www.edinburghfostering.org.uk/	2
1.4.11 - Non-text Contrast	FAIL (M)	Header	1
1.4.11 - Non-text Contrast	FAIL (M)	https://www.edinburgh.gov.uk/	12
1.4.11 - Non-text Contrast	FAIL (M)	https://selfservice-edinburgh.servicebuilder.co.uk/RenderForm?g=5fce041d-01ec-458a-bdd7-ae084fb14b54&s=6	11
1.4.11 - Non-text Contrast	FAIL (M)	https://cpe-qa-edinburgh.squiz.co.uk/site/portal/request/licence_hmo	21
1.4.11 - Non-text Contrast	FAIL (M)	https://edinburgh.public-i.tv/core/portal/webcast_interactive/859973	5
1.4.11 - Non-text Contrast	FAIL (M)	https://webforms.edinburgh.gov.uk/site/portal/request/road_defect	7
1.4.12 - Text Spacing	FAIL (M)	https://yourlibrary.edinburgh.gov.uk/web/arena/magazines	2
1.4.12 - Text Spacing	FAIL (M)	https://www.edinburgh.gov.uk/national-support-network-directory	4
1.4.13 - Content on Hover or Focus	FAIL (M)	https://edinburgh.zipporah.co.uk/Registrars.Edinburgh.Live#	4

Principle 2: Operable – User interface components and navigation must be operable.

Success Criterion	Result	URL Identifier	No. of Failures
2.1 Keyboard Accessible			
2.1.1 - Keyboard	FAIL (H)	https://coedinburgh-self.achieveservice.com/service/Benefits__Change_In_Circumstances	1
2.1.1 - Keyboard	FAIL (H)	https://edinburgh.zipporah.co.uk/Registrars.Edinburgh.Live#	3
2.1.1 - Keyboard	FAIL (H)	https://www.edinburgh.gov.uk/	2
2.1.1 - Keyboard	FAIL (H)	https://cpe-qa-edinburgh.squiz.co.uk/site/portal/request/licence_hmo	1
2.1.1 - Keyboard	FAIL (H)	https://yourlibrary.edinburgh.gov.uk/web/arena/magazines	1
2.1.1 - Keyboard	FAIL (H)	https://www.edinburgh.gov.uk/national-support-network-directory	6
2.1.1 - Keyboard	FAIL (H)	https://webforms.edinburgh.gov.uk/site/portal/request/road_defect	1
2.1.2 - No Keyboard Trap	PASS	N/A	0
2.1.4 - Character Key Shortcuts	PASS	N/A	0
2.2 Enough Time			
2.2.1 - Timing Adjustable	PASS	N/A	0
2.2.2 - Pause, Stop, Hide	PASS	N/A	0

Principle 2: Operable – User interface components and navigation must be operable.

2.3 Seizures and Physical Reactions

2.3.1 - Three Flashes or Below Threshold	PASS	N/A	0
------------------------------------------	------	-----	---

2.4 Navigable

2.4.1 - Bypass Blocks	FAIL (H)	https://coedinburgh-self.achieveservice.com/service/Benefits___Change_In_Circumstances	1
2.4.1 - Bypass Blocks	FAIL (H)	https://edinburgh.zipporah.co.uk/Registrars.Edinburgh.Live#	16
2.4.1 - Bypass Blocks	FAIL (H)	https://democracy.edinburgh.gov.uk/uuCoverPage.aspx?bcr=1	1
2.4.1 - Bypass Blocks	FAIL (H)	https://yourlibrary.edinburgh.gov.uk/web/arena/magazines	1
2.4.2 - Page Titled	PASS	N/A	0
2.4.3 - Focus Order	FAIL (H)	https://edinburgh.zipporah.co.uk/Registrars.Edinburgh.Live#	2
2.4.3 - Focus Order	FAIL (H)	https://www.edinburghfostering.org.uk/	1
2.4.3 - Focus Order	FAIL (H)	https://selfservice-edinburgh.servicebuilder.co.uk/RenderForm?g=5fce041d-01ec-458a-bdd7-ae084fb14b54&s=6	2
2.4.3 - Focus Order	FAIL (H)	https://yourlibrary.edinburgh.gov.uk/web/arena/magazines	1

Principle 2: Operable – User interface components and navigation must be operable.

2.4.3 - Focus Order	FAIL (H)	https://www.edinburgh.gov.uk/national-support-network-directory	2
2.4.3 - Focus Order	FAIL (H)	https://webforms.edinburgh.gov.uk/site/portal/request/road_defect	2
2.4.4 - Link Purpose (In Context)	FAIL (H)	https://coedinburgh-self.achieveservice.com/service/Benefits___Change_In_Circumstances	3
2.4.4 - Link Purpose (In Context)	FAIL (H)	https://edinburgh.zipporah.co.uk/Registrars.Edinburgh.Live#	15
2.4.4 - Link Purpose (In Context)	FAIL (H)	https://www.edinburgh.gov.uk/site-search/results/?q=garden+waste	17
2.4.4 - Link Purpose (In Context)	FAIL (H)	Header	1
2.4.4 - Link Purpose (In Context)	FAIL (H)	https://www.edinburgh.gov.uk/blog/jobsboard/page/1	3
2.4.4 - Link Purpose (In Context)	FAIL (H)	https://yourlibrary.edinburgh.gov.uk/web/arena/magazines	7
2.4.4 - Link Purpose (In Context)	FAIL (H)	https://www.edinburgh.gov.uk/national-support-network-directory	2
2.4.5 - Multiple Ways	FAIL (M)	https://democracy.edinburgh.gov.uk/uuCoverPage.aspx?bcr=1	1
2.4.5 - Multiple Ways	FAIL (M)	https://www.edinburgh.gov.uk/blog/jobsboard/page/1	1
2.4.6 - Headings and Labels	FAIL (M)	https://edinburgh.zipporah.co.uk/Registrars.Edinburgh.Live#	1

Principle 2: Operable – User interface components and navigation must be operable.

2.4.6 - Headings and Labels	FAIL (M)	https://www.edinburgh.gov.uk/	1
2.4.6 - Headings and Labels	FAIL (M)	https://www.edinburgh.gov.uk/blog/jobsboard/page/1	1
2.4.6 - Headings and Labels	FAIL (M)	https://yourlibrary.edinburgh.gov.uk/web/arena/magazines	6
2.4.6 - Headings and Labels	FAIL (M)	https://edinburgh.public-i.tv/core/portal/webcast_interactive/859973	1
2.4.7 - Focus Visible	FAIL (M)	https://edinburgh.zipporah.co.uk/Registrars.Edinburgh.Live#	2
2.4.7 - Focus Visible	FAIL (M)	https://www.edinburghfostering.org.uk/	1
2.4.7 - Focus Visible	FAIL (M)	https://cpe-qa-edinburgh.squiz.co.uk/site/portal/request/licence_hmo	1
2.4.7 - Focus Visible	FAIL (M)	https://yourlibrary.edinburgh.gov.uk/web/arena/magazines	1
2.4.7 - Focus Visible	FAIL (M)	https://www.edinburgh.gov.uk/national-support-network-directory	1
2.4.7 - Focus Visible	FAIL (M)	https://webforms.edinburgh.gov.uk/site/portal/request/road_defect	2
2.4.11 - Focus Appearance	FAIL (M)	Header	1
2.4.11 - Focus Appearance	FAIL (M)	https://www.edinburgh.gov.uk/	1
2.4.11 - Focus Appearance	FAIL (M)	https://www.edinburgh.gov.uk/national-support-network-directory	1

Principle 2: Operable – User interface components and navigation must be operable.

2.5 Input Modalities

2.5.1 - Pointer Gestures	PASS	N/A	0
2.5.2 - Pointer Cancellation	FAIL (H)	https://edinburgh.public-i.tv/core/portal/webcast_interactive/859973	1
2.5.3 - Label in Name	FAIL (H)	https://coedinburgh-self.achieveservice.com/service/Benefits__Change_In_Circumstances	1
2.5.3 - Label in Name	FAIL (H)	https://edinburgh.zipporah.co.uk/Registrars.Edinburgh.Live#	2
2.5.3 - Label in Name	FAIL (H)	https://cpe-qa-edinburgh.squiz.co.uk/site/portal/request/licence_hmo	1
2.5.3 - Label in Name	FAIL (H)	https://www.edinburgh.gov.uk/national-support-network-directory	5
2.5.3 - Label in Name	FAIL (H)	https://webforms.edinburgh.gov.uk/site/portal/request/road_defect	2
2.5.4 - Motion Actuation	PASS	N/A	0
2.5.7 - Dragging Movements	PASS	N/A	0
2.5.8 - Target Size	FAIL (M)	https://edinburgh.zipporah.co.uk/Registrars.Edinburgh.Live#	6
2.5.8 - Target Size	FAIL (M)	https://www.edinburgh.gov.uk/	4

Principle 3: Understandable – Information and the operation of the user interface must be understandable.

Success Criterion	Result	URL Identifier	No. of Failures
3.1 Readable			
3.1.1 - Language of Page	PASS	N/A	0
3.1.2 - Language of Parts	PASS	N/A	0
3.2 Predictable			
3.2.1 - On Focus	FAIL (H)	https://www.edinburgh.gov.uk/national-support-network-directory	1
3.2.2 - On Input	FAIL (H)	https://edinburgh.zipporah.co.uk/Registrars.Edinburgh.Live#	2
3.2.2 - On Input	FAIL (H)	https://selfservice-edinburgh.servicebuilder.co.uk/RenderForm?g=5fce041d-01ec-458a-bdd7-ae084fb14b54&s=6	1
3.2.3 - Consistent Navigation	FAIL (M)	https://coedinburgh-self.achieveservice.com/service/Benefits__Change_In_Circumstances	3
3.2.3 - Consistent Navigation	FAIL (M)	https://edinburgh.zipporah.co.uk/Registrars.Edinburgh.Live#	4
3.2.3 - Consistent Navigation	FAIL (M)	https://democracy.edinburgh.gov.uk/uuCoverPage.aspx?bcr=1	1
3.2.3 - Consistent Navigation	FAIL (M)	https://espws.necsws.com/ords/pwslive/f?p=14150:50:5351142386563:INITIALISE:::APP_TRANSACTION_ACTIVE_IND,APP_PRODUCT_FEATURE:Y,PWS&cs=3_prJligwLPkgIRbFu-IVGWbsDoVMo1XYXBFK-vp08xY6HipdZDx3nE17FwCUDgHfruyGMUri0u4PTYUAU2f8xA	2
3.2.3 - Consistent Navigation	FAIL (M)	https://www.edinburgh.gov.uk/blog/jobsboard/page/1	1

Principle 3: Understandable – Information and the operation of the user interface must be understandable.

3.2.3 - Consistent Navigation	FAIL (M)	https://cpe-qa-edinburgh.squiz.co.uk/site/portal/request/licence_hmo	3
3.2.3 - Consistent Navigation	FAIL (M)	https://yourlibrary.edinburgh.gov.uk/web/arena/magazines	1
3.2.3 - Consistent Navigation	FAIL (M)	https://webforms.edinburgh.gov.uk/site/portal/request/road_defect	1
3.2.3 - Consistent Navigation	FAIL (M)	https://www.edinburgh.gov.uk/documents/support-families-1/2	1
3.2.4 - Consistent Identification	FAIL (M)	https://www.edinburgh.gov.uk/documents/support-families-1/2	1
3.2.4 - Consistent Identification	FAIL (M)	https://www.edinburgh.gov.uk/blog/jobsboard/page/1	1
3.2.4 - Consistent Identification	FAIL (M)	https://cpe-qa-edinburgh.squiz.co.uk/site/portal/request/licence_hmo	3
3.2.4 - Consistent Identification	FAIL (M)	https://yourlibrary.edinburgh.gov.uk/web/arena/magazines	1
3.2.4 - Consistent Identification	FAIL (M)	https://webforms.edinburgh.gov.uk/site/portal/request/road_defect	1
3.2.6 - Consistent Help	PASS	N/A	0

3.3 Input Assistance

3.3.1 - Error Identification	PASS	N/A	0
3.3.2 - Labels or Instructions	FAIL (H)	https://edinburgh.zipporah.co.uk/Registrars.Edinburgh.Live#	1
3.3.2 - Labels or Instructions	FAIL (H)	https://cpe-qa-edinburgh.squiz.co.uk/site/portal/request/licence_hmo	1
3.3.2 - Labels or Instructions	FAIL (H)	https://yourlibrary.edinburgh.gov.uk/web/arena/magazines	2
3.3.2 - Labels or Instructions	FAIL (H)	https://www.edinburgh.gov.uk/national-support-network-directory	2
3.3.2 - Labels or Instructions	FAIL (H)	https://www.edinburgh.gov.uk/news	1

Principle 3: Understandable – Information and the operation of the user interface must be understandable.

3.3.2 - Labels or Instructions	FAIL (H)	https://webforms.edinburgh.gov.uk/site/portal/request/road_defect	2
3.3.3 - Error Suggestion	FAIL (M)	https://edinburgh.zipporah.co.uk/Registrars.Edinburgh.Live#	1
3.3.3 - Error Suggestion	FAIL (M)	https://cpe-qa-edinburgh.squiz.co.uk/site/portal/request/licence_hmo	1
3.3.4 - Error Prevention (Legal, Financial, Data)	PASS	N/A	0
3.3.7 - Redundant Entry	PASS	N/A	0
3.3.8 - Accessible Authentication	PASS	N/A	0

Principle 4: Robust – Content must be robust enough that it can be interpreted by a wide variety of user agents, including assistive technologies.

Success Criterion	Result	URL Identifier	No. of Failures
4.1 Compatible			
4.1.1 - Parsing	PASS	N/A	0
4.1.2 - Name, Role, Value	FAIL (H)	https://edinburgh.zipporah.co.uk/Registrars.Edinburgh.Live#	13
4.1.2 - Name, Role, Value	FAIL (H)	Cookie Bar	1
4.1.2 - Name, Role, Value	FAIL (H)	Header	2
4.1.2 - Name, Role, Value	FAIL (H)	https://www.edinburgh.gov.uk/	1
4.1.2 - Name, Role, Value	FAIL (H)	https://www.edinburgh.gov.uk/blog/jobsboard/page/1	1
4.1.2 - Name, Role, Value	FAIL (H)	https://cpe-qa-edinburgh.squiz.co.uk/site/portal/request/licence_hmo	12
4.1.2 - Name, Role, Value	FAIL (H)	https://yourlibrary.edinburgh.gov.uk/web/arena/magazines	8
4.1.2 - Name, Role, Value	FAIL (H)	https://www.edinburgh.gov.uk/national-support-network-directory	1
4.1.2 - Name, Role, Value	FAIL (H)	https://edinburgh.public-i.tv/core/portal/webcast_interactive/859973	3
4.1.2 - Name, Role, Value	FAIL (H)	https://webforms.edinburgh.gov.uk/site/portal/request/road_defect	6
4.1.3 - Status Messages	FAIL (M)	https://edinburgh.zipporah.co.uk/Registrars.Edinburgh.Live#	3
4.1.3 - Status Messages	FAIL (M)	https://www.edinburgh.gov.uk/xfp/form/302	2
4.1.3 - Status Messages	FAIL (M)	https://www.edinburgh.gov.uk/directory/10265/community-centres	1

Principle 4: Robust – Content must be robust enough that it can be interpreted by a wide variety of user agents, including assistive technologies.

4.1.3 - Status Messages	FAIL (M)	https://espws.necsws.com/ords/pwslive/f?p=14150:50:5351142386563:INITIALISE:::APP_TRANSACTION_ACTIVE_IND,APP_PRODUCT_FEATURE:Y,PWS&cs=3_prJligwLPkgIRbFu-IVGWbsDoVMo1XYXBFK-vp08xY6HipdZDx3nE17FwCUDgHfruyGMUri0u4PTYUAU2f8xA	1
4.1.3 - Status Messages	FAIL (M)	https://www.edinburghfostering.org.uk/	1
4.1.3 - Status Messages	FAIL (M)	https://selfservice-edinburgh.servicebuilder.co.uk/RenderForm?g=5fce041d-01ec-458a-bdd7-ae084fb14b54&s=6	1
4.1.3 - Status Messages	FAIL (M)	https://www.edinburgh.gov.uk/blog/jobsboard/page/1	1
4.1.3 - Status Messages	FAIL (M)	https://webforms.edinburgh.gov.uk/site/portal/request/road_defect	1

Appendix II: Sample of Audited Web Pages

Agreed Set of Sample Pages and Templates

All of the following website samples were included as part of the evaluation.

The following were the original 13 samples identified and agreed at the Audit outset.

FORMS type template

1. Jadu - <https://www.edinburgh.gov.uk/breachplanningcontrolsform>
2. Verint - https://webforms.edinburgh.gov.uk/site/portal/request/road_defect
3. Govtech - https://coedinburgh-self.achieveservice.com/service/Benefits_Change_In_Circumstances

PAGE type template

4. Home page - <https://www.edinburgh.gov.uk/>
5. Jadu content page
 - a. <https://www.edinburgh.gov.uk/planning-13/short-term-lets-planning>
 - b. <https://www.edinburgh.gov.uk/planning-13/planning-fees-short-term-let-applications/1>
6. Jadu landing page - <https://www.edinburgh.gov.uk/homepage/10503/low-emission-zone>
7. Jadu guide - <https://www.edinburgh.gov.uk/licences-permits/licences-permits-applications/9>
8. News
 - a. <https://www.edinburgh.gov.uk/news>
 - b. <https://www.edinburgh.gov.uk/news/article/13876/nicola-benedetti-cbe-receives-the-edinburgh-award-2023>
9. Pretty pdfs - <https://www.edinburgh.gov.uk/documents/support-families-1/2>

DIRECTORIES type template

10. Landing page - <https://www.edinburgh.gov.uk/directory/10265/community-centres>
11. A-Z - <https://www.edinburgh.gov.uk/directory/10265/a-to-z/B>
12. Record page - <https://www.edinburgh.gov.uk/directory-record/1587279/balerno-community-centre>

SEARCH type template

13. Landing page - <https://www.edinburgh.gov.uk/site-search/results/?q=garden+waste>

Additional Set of Sample Pages and Templates

The following ADDITIONAL website samples were also included as part of the evaluation, following first stage sampling and inspection.


14. <https://www.edinburgh.gov.uk/council-democracy/account>
15. and subsequent pointer to <https://myaccount.signin.mygovscot.org/myConnect/login> is out with the domain of edinburgh.gov.uk
16. https://webforms.edinburgh.gov.uk/site/portal/request/licence_hmo_
17. <https://www.edinburghfostering.org.uk/>
18. <https://selfservice-edinburgh.servicebuilder.co.uk/renderform?t=1&k=204AB316D8482119FC3D29D759A8716E04BAEE03&refresh=1>
19. <https://www.edinburgh.gov.uk/blog/jobsboard/page/1>
20. <https://edinburgh.zipporah.co.uk/Registrars.Edinburgh.Live>
21. <https://democracy.edinburgh.gov.uk/uuCoverPage.aspx?bcr=1>
22. <https://espws.necsws.com/ords/pwslive/> – accessed from: <https://www.edinburgh.gov.uk/benefits-grants/scottish-welfare-fund/2?documentId=12271&categoryId=20127>
23. <https://edinburgh.public-i.tv/core/portal/home>
24. <https://www.edinburgh.gov.uk/national-support-network-directory>
25. <https://yourlibrary.edinburgh.gov.uk/web/arena/magazines>

Appendix III – Page specific WCAG Results

Webpage identifier

Friendly Name	Report_Breach_Planning
Template Type:	JADU – FORM
URL Identifier:	https://www.edinburgh.gov.uk/breachplanningcontrolsform
Effective Pages:	4

Dashboard Data



List of WCAG Failure


Success Criterion	Requirement Description	Location (Path)	Comment
1.3.5 - Identify Input Purpose	Text fields that serve certain purposes must have the correct HTML5 autocomplete attribute	#qdf547a5320237f6b05c7797febd0656a06b88973_confirm	N/A
1.3.5 - Identify Input Purpose	Text fields that serve certain purposes must have the correct HTML5 autocomplete attribute	#qd92111d8e95b69530a49bebabd7ebc2734ad8cb6	N/A
1.3.5 - Identify Input Purpose	Text fields that serve certain purposes must have the correct HTML5 autocomplete attribute	#q6f8c71ff1b8e22438bafa1bcb509e475d1fa3774	N/A
1.3.5 - Identify Input Purpose	Text fields that serve certain purposes must have the correct HTML5 autocomplete attribute	#qeece74b3ebdc115254460a3cfe546e76336d5458	N/A
1.3.5 - Identify Input Purpose	Text fields that serve certain purposes must have the correct HTML5 autocomplete attribute	#qdf547a5320237f6b05c7797febd0656a06b88973	N/A
1.3.5 - Identify Input Purpose	Text fields that serve certain purposes must have the correct HTML5 autocomplete attribute	#qd469e477ac468b7ee718a2cfcc12deaabb149caf_0_0	N/A

4.1.3 - Status Messages	Status messages must be programmatically determinable without receiving focus	N/A	Status messages aren't read out on submit
4.1.3 - Status Messages	Status messages must be programmatically determinable without receiving focus	N/A	The alert isn't read out to screen reader

Webpage identifier

Friendly Name:	Report_Road_Defect
Template Type:	VERINT – FORM
URL Identifier:	https://webforms.edinburgh.gov.uk/site/portal/request/road_defect
Effective Pages:	2

Dashboard Data



List of WCAG Failure

Success Criterion	Requirement Description	Location (Path)	Comment
1.3.1 - Info and Relationships	ARIA role should be appropriate for the element	input[dojoattachpoint="hiddenFocusNode"]	N/A
1.3.1 - Info and Relationships	ARIA role should be appropriate for the element	.dojoxGridHiddenFocus[type="checkbox"][role="presentatio n"]:nth-child(2)	N/A
1.3.1 - Info and Relationships	Certain ARIA roles must contain particular children	#dojox_grid_DataGrid_0	N/A
1.3.1 - Info and Relationships	Ensure elements marked as presentational are consistently ignored	input[dojoattachpoint="hiddenFocusNode"]	N/A
1.3.1 - Info and Relationships	Ensure elements marked as presentational are consistently ignored	.dojoxGridHiddenFocus[type="checkbox"][role="presentatio n"]:nth-child(2)	N/A
1.3.1 - Info and Relationships	If a native widget has a visible label or instructions, they must be programmatically determinable	input[dojoattachpoint="hiddenFocusNode"]	N/A
1.3.1 - Info and Relationships	If a native widget has a visible label or instructions, they must be programmatically determinable	.dojoxGridHiddenFocus[type="checkbox"][role="presentatio n"]:nth-child(2)	N/A
1.4.11 - Non-text Contrast	Any visual information that indicates a component's state must have sufficient contrast	#dform_widget_txt_postcode	N/A

1.4.11 - Non-text Contrast	Any visual information that indicates a component's state must have sufficient contrast	#dform_widget_button_but_search	N/A
1.4.11 - Non-text Contrast	Any visual information that indicates a component's state must have sufficient contrast	#dform_widget_rad_problem1	N/A
1.4.11 - Non-text Contrast	Any visual information that indicates a component's state must have sufficient contrast	#dform_widget_rad_problem2	N/A
1.4.11 - Non-text Contrast	Any visual information that indicates a component's state must have sufficient contrast	#dform_widget_file_upload	N/A
1.4.11 - Non-text Contrast	Any visual information that indicates a component's state must have sufficient contrast	#dform_widget_button_but_continue_road_pavement	N/A
1.4.11 - Non-text Contrast	Any visual information that indicates a component's state must have sufficient contrast	a[target="_blank"]	N/A
1.4.11 - Non-text Contrast	Any visual information that indicates a component's state must have sufficient contrast	#dform_widget_rad_problem2	N/A
1.4.11 - Non-text Contrast	Any visual information that indicates a component's state must have sufficient contrast	#dform_widget_file_upload	N/A

1.4.11 - Non-text Contrast	Any visual information that indicates a component's state must have sufficient contrast	#dform_widget_button_but_continue_road_pavement	N/A
1.4.11 - Non-text Contrast	Any visual information that indicates a component's state must have sufficient contrast	a[target="_blank"]	N/A
2.1.1 - Keyboard	Users must be able to navigate to all interactive interface components using a keyboard	N/A	After image has been added you can't navigate it to it
2.4.3 - Focus Order	Users must not be able to Tab away from a modal dialog without explicitly dismissing it	N/A	Modals in the map don't contain the focus
2.4.3 - Focus Order	Components must receive focus in an order that preserves meaning and operability	N/A	Focus order all over the place
2.4.7 - Focus Visible	Components must provide a visible indication when they have the input focus	N/A	Visible focus doesn't move into the map
2.4.7 - Focus Visible	Components must provide a visible indication when they have the input focus	N/A	Doesn't go to the image icon if added


2.5.3 - Label in Name	If a native widget has a visible label or instructions, they must be programmatically determinable	input[dojoattachpoint="hiddenFocusNode"]	N/A
2.5.3 - Label in Name	If a native widget has a visible label or instructions, they must be programmatically determinable	.dojoxGridHiddenFocus[type="checkbox"][role="presentation"]:nth-child(2)	N/A
3.2.3 - Consistent Navigation	Navigational mechanisms that appear on multiple pages must be presented in the same relative order	N/A	Main navigation bar is different to the rest of the website I.e. no home link
3.2.4 - Consistent Identification	Functional components that appear on multiple pages must be identified consistently	N/A	The home logo doesn't link to the homepage
3.3.2 - Labels or Instructions	A native widget must have a label and/or instructions that identify the expected input	input[dojoattachpoint="hiddenFocusNode"]	N/A
3.3.2 - Labels or Instructions	A native widget must have a label and/or instructions that identify the expected input	.dojoxGridHiddenFocus[type="checkbox"][role="presentation"]:nth-child(2)	N/A
4.1.2 - Name, Role, Value	ARIA role should be appropriate for the element	input[dojoattachpoint="hiddenFocusNode"]	N/A
4.1.2 - Name, Role, Value	ARIA role should be appropriate for the element	.dojoxGridHiddenFocus[type="checkbox"][role="presentation"]:nth-child(2)	N/A
4.1.2 - Name, Role, Value	Form elements must have labels	input[dojoattachpoint="hiddenFocusNode"]	N/A

4.1.2 - Name, Role, Value	Form elements must have labels	.dojoxGridHiddenFocus[type="checkbox"][role="presentation"]:nth-child(2)	N/A
4.1.2 - Name, Role, Value	If a native widget functions as a custom widget, it must have the appropriate ARIA widget role	input[dojoattachpoint="hiddenFocusNode"]	N/A
4.1.2 - Name, Role, Value	If a native widget functions as a custom widget, it must have the appropriate ARIA widget role	.dojoxGridHiddenFocus[type="checkbox"][role="presentation"]:nth-child(2)	N/A
4.1.3 - Status Messages	Status messages must be programmatically determinable without receiving focus	N/A	Doesn't read out there has been no results or that results have been found.

Webpage identifier

Friendly Name	Benefit_Change_in_Dts
Template Type :	Govtech – FORM
URL Identifier :	https://coedinburgh-self.achieveservice.com/service/Benefits_Change_In_Circumstances
Effective Pages :	3

Dashboard Data



List of WCAG Failure

WCAG Number and Description	Requirement Description	Location	Comment
1.3.1 - Info and Relationships	If a native widget has a visible label or instructions, they must be programmatically determinable	#fillform-frame-1, #OtherHouseholdChangeDate	N/A
1.3.1 - Info and Relationships	A landmark region must have the role that best describes its content	#fillform-frame-1, #AF-Form-f5d20aba-6973-400d-9294-a9fa89a25b46 > .fillinButtons-wrapper.col-xs-11.col-sm-11 > nav	N/A
1.3.5 - Identify Input Purpose	Text fields that serve certain purposes must have the correct HTML5 autocomplete attribute	#fillform-frame-1, #appForename	N/A
1.3.5 - Identify Input Purpose	Text fields that serve certain purposes must have the correct HTML5 autocomplete attribute	#fillform-frame-1, #appSurname	N/A
1.3.5 - Identify Input Purpose	Text fields that serve certain purposes must have the correct HTML5 autocomplete attribute	#fillform-frame-1, #HBClaim	N/A
1.3.5 - Identify Input Purpose	Text fields that serve certain purposes must have the correct HTML5 autocomplete attribute	#fillform-frame-1, #addressLine1Manual	N/A
1.3.5 - Identify Input Purpose	Text fields that serve certain purposes must have the correct HTML5 autocomplete attribute	#fillform-frame-1, #addressLine2Manual	N/A
1.3.5 - Identify Input Purpose	Text fields that serve certain purposes must have the correct HTML5 autocomplete attribute	#fillform-frame-1, #addressLine3Manual	N/A

WCAG Number and Description	Requirement Description	Location	Comment
1.3.5 - Identify Input Purpose	Text fields that serve certain purposes must have the correct HTML5 autocomplete attribute	#fillform-frame-1, #addressLine4Manual	N/A
1.3.5 - Identify Input Purpose	Text fields that serve certain purposes must have the correct HTML5 autocomplete attribute	#fillform-frame-1, #postcode_search	N/A
1.3.5 - Identify Input Purpose	Text fields that serve certain purposes must have the correct HTML5 autocomplete attribute	#fillform-frame-1, #Email_Address1	N/A
1.3.5 - Identify Input Purpose	Text fields that serve certain purposes must have the correct HTML5 autocomplete attribute	#fillform-frame-1, #MobileNumber1	N/A
1.3.5 - Identify Input Purpose	Text fields that serve certain purposes must have the correct HTML5 autocomplete attribute	#fillform-frame-1, #PhoneNumber1	N/A
1.4.11 - Non-text Contrast	Any visual information that indicates a component's state must have sufficient contrast	#fillform-frame-1, #HouseholdChangeList-0-AF-Field-06db249a-e946-4931-8834-ea7b35cdce04-6356e41e38	N/A
1.4.11 - Non-text Contrast	Any visual information that indicates a component's state must have sufficient contrast	#fillform-frame-1, #HouseholdChangeList-1-AF-Field-06db249a-e946-4931-8834-ea7b35cdce04-6356e41e38	N/A
1.4.11 - Non-text Contrast	Any visual information that indicates a component's state must have sufficient contrast	#fillform-frame-1, #HouseholdChangeList-2-AF-Field-06db249a-e946-4931-8834-ea7b35cdce04-6356e41e38	N/A
1.4.11 - Non-text Contrast	Any visual information that indicates a component's state must have sufficient contrast	#fillform-frame-1, #HouseholdChangeList-3-AF-Field-06db249a-e946-4931-8834-ea7b35cdce04-6356e41e38	N/A

WCAG Number and Description	Requirement Description	Location	Comment
1.4.11 - Non-text Contrast	Any visual information that indicates a component's state must have sufficient contrast	#fillform-frame-1, #HouseholdChangeList-4-AF-Field-06db249a-e946-4931-8834-ea7b35cdce04-6356e41e38	N/A
1.4.11 - Non-text Contrast	Any visual information that indicates a component's state must have sufficient contrast	#fillform-frame-1, #HouseholdChangeList-5-AF-Field-06db249a-e946-4931-8834-ea7b35cdce04-6356e41e38	N/A
1.4.11 - Non-text Contrast	Any visual information that indicates a component's state must have sufficient contrast	#fillform-frame-1, .previousbutton	N/A
1.4.11 - Non-text Contrast	Any visual information that indicates a component's state must have sufficient contrast	#fillform-frame-1, .cancelbutton	N/A
1.4.11 - Non-text Contrast	Any visual information that indicates a component's state must have sufficient contrast	#fillform-frame-1, .nextbutton	N/A
1.4.11 - Non-text Contrast	Any visual information that indicates a component's state must have sufficient contrast	#fillform-frame-1, .navbar-toggle	N/A
1.4.11 - Non-text Contrast	Any visual information that indicates a component's state must have sufficient contrast	#fillform-frame-1, #Cancel-0-AF-Field-113fd638-5a0f-4816-803d-d8189c3f4be7-d2408f9c21	N/A
1.4.11 - Non-text Contrast	Any visual information that indicates a component's state must have sufficient contrast	#fillform-frame-1, #Cancel-1-AF-Field-113fd638-5a0f-4816-803d-d8189c3f4be7-d2408f9c21	N/A
1.4.11 - Non-text Contrast	Any visual information that indicates a component's state must have sufficient contrast	#fillform-frame-1, #UCCICIndicator-0-AF-Field-7c8c6473-ec27-4973-988c-6e8be6831ee6-d2408f9c21	N/A

WCAG Number and Description	Requirement Description	Location	Comment
1.4.11 - Non-text Contrast	Any visual information that indicates a component's state must have sufficient contrast	#fillform-frame-1, #UCCICIndicator-1-AF-Field-7c8c6473-ec27-4973-988c-6e8be6831ee6-d2408f9c21	N/A
1.4.11 - Non-text Contrast	Any visual information that indicates a component's state must have sufficient contrast	#fillform-frame-1, #TypeOfChange-0-AF-Field-575d71b0-bed4-4533-8e17-2e56a76ddd14-d2408f9c21	N/A
1.4.11 - Non-text Contrast	Any visual information that indicates a component's state must have sufficient contrast	#fillform-frame-1, #TypeOfChange-1-AF-Field-575d71b0-bed4-4533-8e17-2e56a76ddd14-d2408f9c21	N/A
1.4.11 - Non-text Contrast	Any visual information that indicates a component's state must have sufficient contrast	#fillform-frame-1, #TypeOfChange-2-AF-Field-575d71b0-bed4-4533-8e17-2e56a76ddd14-d2408f9c21	N/A
1.4.11 - Non-text Contrast	Any visual information that indicates a component's state must have sufficient contrast	#fillform-frame-1, #TypeOfChange-3-AF-Field-575d71b0-bed4-4533-8e17-2e56a76ddd14-d2408f9c21	N/A
1.4.11 - Non-text Contrast	Any visual information that indicates a component's state must have sufficient contrast	#fillform-frame-1, .previousbutton	N/A
1.4.11 - Non-text Contrast	Any visual information that indicates a component's state must have sufficient contrast	#fillform-frame-1, .cancelbutton	N/A
1.4.11 - Non-text Contrast	Any visual information that indicates a component's state must have sufficient contrast	#fillform-frame-1, .nextbutton	N/A
1.4.11 - Non-text Contrast	Any visual information that indicates a component's state must have sufficient contrast	#fillform-frame-1, .navbar-toggle	N/A

WCAG Number and Description	Requirement Description	Location	Comment
1.4.11 - Non-text Contrast	Any visual information that indicates a component's state must have sufficient contrast	#fillform-frame-1, #Cancel-0-AF-Field-113fd638-5a0f-4816-803d-d8189c3f4be7-d2408f9c21	N/A
1.4.11 - Non-text Contrast	Any visual information that indicates a component's state must have sufficient contrast	#fillform-frame-1, #Cancel-1-AF-Field-113fd638-5a0f-4816-803d-d8189c3f4be7-d2408f9c21	N/A
1.4.11 - Non-text Contrast	Any visual information that indicates a component's state must have sufficient contrast	#fillform-frame-1, #UCCICIndicator-0-AF-Field-7c8c6473-ec27-4973-988c-6e8be6831ee6-d2408f9c21	N/A
1.4.11 - Non-text Contrast	Any visual information that indicates a component's state must have sufficient contrast	#fillform-frame-1, #UCCICIndicator-1-AF-Field-7c8c6473-ec27-4973-988c-6e8be6831ee6-d2408f9c21	N/A
1.4.11 - Non-text Contrast	Any visual information that indicates a component's state must have sufficient contrast	#fillform-frame-1, #TypeOfChange-0-AF-Field-575d71b0-bed4-4533-8e17-2e56a76ddd14-d2408f9c21	N/A
1.4.11 - Non-text Contrast	Any visual information that indicates a component's state must have sufficient contrast	#fillform-frame-1, #TypeOfChange-1-AF-Field-575d71b0-bed4-4533-8e17-2e56a76ddd14-d2408f9c21	N/A
1.4.11 - Non-text Contrast	Any visual information that indicates a component's state must have sufficient contrast	#fillform-frame-1, #TypeOfChange-2-AF-Field-575d71b0-bed4-4533-8e17-2e56a76ddd14-d2408f9c21	N/A
1.4.11 - Non-text Contrast	Any visual information that indicates a component's state must have sufficient contrast	#fillform-frame-1, #TypeOfChange-3-AF-Field-575d71b0-bed4-4533-8e17-2e56a76ddd14-d2408f9c21	N/A
1.4.11 - Non-text Contrast	Any visual information that indicates a component's state must have sufficient contrast	#fillform-frame-1, .previousbutton	N/A


WCAG Number and Description	Requirement Description	Location	Comment
1.4.11 - Non-text Contrast	Any visual information that indicates a component's state must have sufficient contrast	#fillform-frame-1, .cancelbutton	N/A
1.4.11 - Non-text Contrast	Any visual information that indicates a component's state must have sufficient contrast	#fillform-frame-1, .nextbutton	N/A
2.1.1 - Keyboard	Users must be able to navigate to all interactive interface components using a keyboard	N/A	Can't go into the datapicker
2.4.1 - Bypass Blocks	A page must provide a keyboard-accessible method to bypass repetitive content	N/A	No Skip to Content
2.4.4 - Link Purpose (In Context)	Links must have discernible text	.navbar-brand	N/A
2.4.4 - Link Purpose (In Context)	Links must have discernible text	.navbar-brand	N/A
2.4.4 - Link Purpose (In Context)	Links must have discernible text	.navbar-brand	N/A
2.5.3 - Label in Name	If a native widget has a visible label or instructions, they must be programmatically determinable	#fillform-frame-1, #OtherHouseholdChangeDate	N/A
3.2.3 - Consistent Navigation	Navigational mechanisms that appear on multiple pages must be presented in the same relative order	N/A	nav and footer different
3.2.3 - Consistent Navigation	Navigational mechanisms that appear on multiple pages must be presented in the same relative order	N/A	Header and footer bar is different
3.2.3 - Consistent Navigation	Navigational mechanisms that appear on multiple pages must be presented in the same relative order	N/A	Not the same header and footer

WCAG Number and Description	Requirement Description	Location	Comment
3.2.4 - Consistent Identification	Functional components that appear on multiple pages must be identified consistently	N/A	Logo is missing that links to home
3.2.4 - Consistent Identification	Functional components that appear on multiple pages must be identified consistently	N/A	No Edi logo with home link
3.2.4 - Consistent Identification	Functional components that appear on multiple pages must be identified consistently	N/A	Edinburgh logo is missing with link to home
4.1.2 - Name, Role, Value	Links must have discernible text	.navbar-brand	N/A
4.1.2 - Name, Role, Value	Links must have discernible text	.navbar-brand	N/A
4.1.2 - Name, Role, Value	Links must have discernible text	.navbar-brand	N/A

Webpage identifier

Friendly Name	Home
Template Type :	Home PAGE
URL Identifier :	https://www.edinburgh.gov.uk/
Effective Pages :	1

Dashboard Data



List of WCAG Failure

WCAG Number and Description	Requirement Description	Location	Comment
1.3.1 - Info and Relationships	ARIA role should be appropriate for the element	.loader-bubble-icon	N/A
1.3.1 - Info and Relationships	An element coded as a heading must function as a heading	.widget-custom-image-banner > .widget__heading	N/A
1.3.1 - Info and Relationships	A heading's programmatic level must match the level that's presented visually	.widget-custom-image-banner > .widget__heading	N/A
1.3.1 - Info and Relationships	A heading's programmatic level must match the level that's presented visually	.boxed:nth-child(1) > .widget__content > .widget__link > .widget__subheading	N/A
1.3.1 - Info and Relationships	A heading's programmatic level must match the level that's presented visually	.boxed:nth-child(2) > .widget__content > .widget__link > .widget__subheading	N/A
1.3.1 - Info and Relationships	A heading's programmatic level must match the level that's presented visually	.boxed:nth-child(3) > .widget__content > .widget__link > .widget__subheading	N/A
1.3.1 - Info and Relationships	A heading's programmatic level must match the level that's presented visually	.widget-latest-news > .widget__heading	N/A
1.3.1 - Info and Relationships	A heading's programmatic level must match the level that's presented visually	.listing--featured > .listing__content > .listing__heading	N/A
1.3.1 - Info and Relationships	A heading's programmatic level must match the level that's presented visually	li:nth-child(1) > article > .listing__content > .listing__heading	N/A

WCAG Number and Description	Requirement Description	Location	Comment
1.3.1 - Info and Relationships	A heading's programmatic level must match the level that's presented visually	li:nth-child(2) > article > .listing__content > .listing__heading	N/A
1.3.1 - Info and Relationships	Lists must be contained within semantically correct containers	N/A	The three news items on the right should be in a list rather the first article is article type than the other two news items are a list. All three should be in a list as featured news article.
1.3.2 - Meaningful Sequence	Meaningful content positioned on the page using CSS must retain its meaning when CSS is disabled	N/A	New Parking rules moves to the top of the page and no longer makes sense.
1.4.4 - Resize text	Zooming and scaling must not be disabled	meta[name="viewport"]	N/A
1.4.10 - Reflow	Content must be visible without having to scroll in two dimensions	N/A	chatbot takes up the whole screen and stops scrolling view of the rest of the page
1.4.11 - Non-text Contrast	Visual information used to identify active user interface components and their states must have sufficient contrast	#chatRedFrame, button[title="Bereavement"]	N/A
1.4.11 - Non-text Contrast	Visual information used to identify active user interface components and	#chatRedFrame, button[title="Circumstance changed"]	N/A

WCAG Number and Description	Requirement Description	Location	Comment
	their states must have sufficient contrast		
1.4.11 - Non-text Contrast	Visual information used to identify active user interface components and their states must have sufficient contrast	#chatRedFrame, button[title="Discounts/Exemptions"]	N/A
1.4.11 - Non-text Contrast	Visual information used to identify active user interface components and their states must have sufficient contrast	#chatRedFrame, button[title="Request refund"]	N/A
1.4.11 - Non-text Contrast	Visual information used to identify active user interface components and their states must have sufficient contrast	#chatRedFrame, button[title="Incorrect bill"]	N/A
1.4.11 - Non-text Contrast	Visual information used to identify active user interface components and their states must have sufficient contrast	#chatRedFrame, button[title="Unpaid council tax"]	N/A
1.4.11 - Non-text Contrast	Visual information used to identify active user interface components and their states must have sufficient contrast	#chatRedFrame, button[title="Payments"]	N/A
1.4.11 - Non-text Contrast	Visual information used to identify active user interface components and their states must have sufficient contrast	#chatRedFrame, button[title="Council tax bill 2023/24 FAQ's"]	N/A
1.4.11 - Non-text Contrast	Any visual information that indicates a component's state must have sufficient contrast	.feature-tile__link[href\$="pay"]	N/A


WCAG Number and Description	Requirement Description	Location	Comment
1.4.11 - Non-text Contrast	Any visual information that indicates a component's state must have sufficient contrast	.feature-tile__link[href\$="report"]	N/A
1.4.11 - Non-text Contrast	Any visual information that indicates a component's state must have sufficient contrast	.feature-tile__link[href\$="request"]	N/A
1.4.11 - Non-text Contrast	Any visual information that indicates a component's state must have sufficient contrast	.loader-bubble-icon	N/A
2.1.1 - Keyboard	Users must be able to navigate to all interactive interface components using a keyboard	N/A	Virtual Assistant - Focus doesn't go the right place i.e. if you ask a question and then use the keyboard to close focus if the chatbot answers before you hit yes or no you can no longer access these components with the keyboard you are stuck in the box behind.
2.1.1 - Keyboard	Users must be able to navigate to all interactive interface components using a keyboard	N/A	Chatbot - Focus moves to the text entry section. User has to press shift tab to go to text in the chatbot. Pressing tab moves the focus away

WCAG Number and Description	Requirement Description	Location	Comment
			from the chatbot
2.4.6 - Headings and Labels	An element coded as a heading must function as a heading	.widget-custom-image-banner > .widget__heading	N/A
2.4.11 - Focus Appearance	For elements receiving keyboard focus, its focus indicator must be at least partially visible and not obscured by author-created content which overlays it, unless the focused element can be revealed without requiring the user to advance focus in the UI	N/A	When the chatbot is open. It can't be dismissed with the exit key, and it hides focusable elements
2.5.8 - Target Size	Touch targets must have sufficient size and spacing to be easily activated without accidentally activating an adjacent target	N/A	Virtual Assistant - Text up is size - 18 *15
2.5.8 - Target Size	Touch targets must have sufficient size and spacing to be easily activated without accidentally activating an adjacent target	N/A	Virtual Assistant decrease size is 16*15
2.5.8 - Target Size	Touch targets must have sufficient size and spacing to be easily activated without accidentally activating an adjacent target	N/A	Virtual Assistant Reset chat is 15*50
2.5.8 - Target Size	Touch targets must have sufficient size and spacing to be easily activated without accidentally activating an adjacent target	N/A	Virtual Assistant is 15*50
4.1.2 - Name, Role, Value	ARIA role should be appropriate for the element	.loader-bubble-icon	N/A

Webpage identifier

Friendly Name	Short_Term_Lets
Template Type :	PAGE
URL Identifier :	https://www.edinburgh.gov.uk/planning-13/short-term-lets-planning
Effective Pages :	1

Dashboard Data




List of WCAG Failure

WCAG Number and Description	Requirement Description	Location	Comment
N/A	-	-	N/A

Webpage identifier

Friendly Name	Planning_Fees
Template Type :	PAGE
URL Identifier :	https://www.edinburgh.gov.uk/planning-13/planning-fees-short-term-let-applications/1
Effective Pages :	1

Dashboard Data




List of WCAG Failure

WCAG Number and Description	Requirement Description	Location	Comment
N/A	-	-	N/A

Webpage identifier

Friendly Name	Low_Emission_Zone
Template Type :	Jadu – LANDING PAGE
URL Identifier :	https://www.edinburgh.gov.uk/homepage/10503/low-emission-zone
Effective Pages :	1

Dashboard Data




List of WCAG Failure

WCAG Number and Description	Requirement Description	Location	Comment
1.2.3 - Audio Description or Media Alternative (Prerecorded)	Pre-recorded video with audio must have an audio description	N/A	No Audio description
1.2.5 - Audio Description (Prerecorded)	Pre-recorded video with audio must have an audio description	N/A	No Audio description
1.3.1 - Info and Relationships	A heading's programmatic level must match the level that's presented visually	.widget-width--100.widget-width--large.widget-width > .widget--content[data-widget-id="6"][data-widget-name="Content"] > .widget-content > .editor > h3	N/A
1.3.1 - Info and Relationships	A heading's programmatic level must match the level that's presented visually	.widget-width--33.widget-width--small.widget-width:nth-child(1) > .widget--content[data-widget-id="6"][data-widget-name="Content"] > .widget-content > .editor > h3	N/A
1.3.1 - Info and Relationships	A heading's programmatic level must match the level that's presented visually	.widget-width--33.widget-width--small.widget-width:nth-child(2) > .widget--content[data-widget-id="6"][data-widget-name="Content"] > .widget-content > .editor > h3	N/A
1.3.1 - Info and Relationships	A heading's programmatic level must match the level that's presented visually	.widget-width--33.widget-width--small.widget-width:nth-child(3) > .widget--content[data-widget-id="6"][data-widget-name="Content"] > .widget-content > .editor > h3	N/A

Webpage identifier

Friendly Name	LicensePermits_Applications
Template Type :	Jadu Guide - PAGE
URL Identifier :	https:// www.edinburgh.gov.uk/licences-permits/licences-permits-applications/9
Effective Pages :	1

Dashboard Data




List of WCAG Failure

WCAG Number and Description	Requirement Description	Location	Comment
N/A	-	-	N/A

Webpage identifier

Friendly Name	News
Template Type :	PAGE
URL Identifier :	https:// www.edinburgh.gov.uk/news
Effective Pages :	1

Dashboard Data




List of WCAG Failures

WCAG Number and Description	Requirement Description	Location	Comment
1.1.1 - Non-text Content	A meaningful image must have a text alternative that serves the equivalent purpose	.list__item:nth-child(2) > article > .listing__link > .image.listing__image	N/A
3.3.2 - Labels or Instructions	A native widget must have a label and/or instructions that identify the expected input	.button--primary	N/A

Webpage identifier

Friendly Name	NB_Edin_Award_Article
Template Type :	PAGE
URL Identifier :	https:// www.edinburgh.gov.uk/news/article/13876/nicola-benedetti-cbe-receives-the-edinburgh-award-2023
Effective Pages :	1

Dashboard Data




List of WCAG Failures

WCAG Number and Description	Requirement Description	Location	Comment
N/A	-	-	N/A

Webpage identifier

Friendly Name	Support_for_Families
Template Type :	PAGE
URL Identifier :	https://www.edinburgh.gov.uk/documents/support-families-1/2
Effective Pages :	1

Dashboard Data




List of WCAG Failures

WCAG Number and Description	Requirement Description	Location	Comment
3.2.3 - Consistent Navigation	Navigational mechanisms that appear on multiple pages must be presented in the same relative order	N/A	No Edinburgh Header/Footer Navigation
3.2.4 - Consistent Identification	Functional components that appear on multiple pages must be identified consistently	N/A	No Edinburgh logo to return to Homepage

Webpage identifier

Friendly Name	Community_Centres
Template Type :	DIRECTORY – Landing Page
URL Identifier :	https:// www.edinburgh.gov.uk/directory/10265/community-centres
Effective Pages :	1

Dashboard Data




List of WCAG Failures

WCAG Number and Description	Requirement Description	Location	Comment
4.1.3 - Status Messages	Status messages must be programmatically determinable without receiving focus	N/A	<p>This technique is a Failure of 4.1.3: Status Messages.</p> <p>Where a status message exists but is not surfaced by assistive technology, it is confirmation that a failure has taken place.</p> <p>Error message not read out by NVDA</p> <p>Ref: https://www.w3.org/WAI/WCAG21/Techniques/failures/F103</p>

Webpage identifier

Friendly Name	Directory_a_toz_b_
Template Type :	A-Z - DIRECTORY
URL Identifier :	https:// www.edinburgh.gov.uk/directory/10265/a-to-z/B
Effective Pages :	1

Dashboard Data




List of WCAG Failures

WCAG Number and Description	Requirement Description	Location	Comment
N/A	-	-	N/A

Webpage identifier

Friendly Name	Balerno_CC
Template Type :	Record Page - DIRECTORY
URL Identifier :	https:// www.edinburgh.gov.uk/directory-record/1587279/balerno-community-centre
Effective Pages :	1

Dashboard Data




List of WCAG Failures

WCAG Number and Description	Requirement Description	Location	Comment
N/A	-	-	N/A

Webpage identifier

Friendly Name	GardenWaste_Search
Template Type :	Landing Page - SEARCH
URL Identifier :	https:// www.edinburgh.gov.uk/site-search/results/?q=garden+waste
Effective Pages :	1

Dashboard Data



List of WCAG Failures

WCAG Number and Description	Requirement Description	Location	Comment
2.4.4 - Link Purpose (In Context)	The purpose of a link must be described by its link text alone, or by the link text together with preceding page context	li:nth-child(2) > h3 > a	N/A
2.4.4 - Link Purpose (In Context)	The purpose of a link must be described by its link text alone, or by the link text together with preceding page context	li:nth-child(3) > h3 > a	N/A
2.4.4 - Link Purpose (In Context)	The purpose of a link must be described by its link text alone, or by the link text together with preceding page context	li:nth-child(4) > h3 > a	N/A
2.4.4 - Link Purpose (In Context)	The purpose of a link must be described by its link text alone, or by the link text together with preceding page context	li:nth-child(5) > h3 > a	N/A
2.4.4 - Link Purpose (In Context)	The purpose of a link must be described by its link text alone, or by the link text together with preceding page context	li:nth-child(6) > h3 > a	N/A
2.4.4 - Link Purpose (In Context)	The purpose of a link must be described by its link text alone, or by the link text together with preceding page context	li:nth-child(7) > h3 > a	N/A
2.4.4 - Link Purpose (In Context)	The purpose of a link must be described by its link text alone, or by the link text together with preceding page context	li:nth-child(8) > h3 > a	N/A


WCAG Number and Description	Requirement Description	Location	Comment
2.4.4 - Link Purpose (In Context)	The purpose of a link must be described by its link text alone, or by the link text together with preceding page context	li:nth-child(9) > h3 > a	N/A
2.4.4 - Link Purpose (In Context)	The purpose of a link must be described by its link text alone, or by the link text together with preceding page context	.search-nav > li:nth-child(2) > a	N/A
2.4.4 - Link Purpose (In Context)	The purpose of a link must be described by its link text alone, or by the link text together with preceding page context	.search-nav > li:nth-child(3) > a	N/A
2.4.4 - Link Purpose (In Context)	The purpose of a link must be described by its link text alone, or by the link text together with preceding page context	.search-nav > li:nth-child(4) > a	N/A
2.4.4 - Link Purpose (In Context)	The purpose of a link must be described by its link text alone, or by the link text together with preceding page context	.search-nav > li:nth-child(5) > a	N/A
2.4.4 - Link Purpose (In Context)	The purpose of a link must be described by its link text alone, or by the link text together with preceding page context	.search-nav > li:nth-child(6) > a	N/A
2.4.4 - Link Purpose (In Context)	The purpose of a link must be described by its link text alone, or by the link text together with preceding page context	.search-nav > li:nth-child(7) > a	N/A
2.4.4 - Link Purpose (In Context)	The purpose of a link must be described by its link text alone, or by	.search-nav > li:nth-child(8) > a	N/A

WCAG Number and Description	Requirement Description	Location	Comment
	the link text together with preceding page context		
2.4.4 - Link Purpose (In Context)	The purpose of a link must be described by its link text alone, or by the link text together with preceding page context	.search-nav > li:nth-child(9) > a	N/A
2.4.4 - Link Purpose (In Context)	The purpose of a link must be described by its link text alone, or by the link text together with preceding page context	.search-nav > li:nth-child(10) > a	N/A

Webpage identifier

Friendly Name	Dem_Account_Landing
Template Type :	Landing - EXT_ACC
URL Identifier :	https:// www.edinburgh.gov.uk/council-democracy/account
Effective Pages :	1

Dashboard Data




List of WCAG Failures

WCAG Number and Description	Requirement Description	Location	Comment
N/A	-	-	N/A

Webpage identifier

Friendly Name	HMO_LicensePermits1
Template Type :	FORMS
URL Identifier :	https://webforms.edinburgh.gov.uk/site/portal/request/licence_hmo
Effective Pages :	3

Dashboard Data



List of WCAG Failures

WCAG Number and Description	Requirement Description	Location	Comment
1.3.1 - Info and Relationships	If a native widget adopts certain interactive states, it must provide appropriate cues	#address-line-2	N/A
1.3.1 - Info and Relationships	If a native widget adopts certain interactive states, it must provide appropriate cues	#card-no	N/A
1.3.1 - Info and Relationships	If a native widget adopts certain interactive states, it must provide appropriate cues	#expiry-month	N/A
1.3.1 - Info and Relationships	If a native widget adopts certain interactive states, it must provide appropriate cues	#expiry-year	N/A
1.3.1 - Info and Relationships	If a native widget adopts certain interactive states, it must provide appropriate cues	#cardholder-name	N/A
1.3.1 - Info and Relationships	If a native widget adopts certain interactive states, it must provide appropriate cues	#cvc	N/A
1.3.1 - Info and Relationships	If a native widget adopts certain interactive states, it must provide appropriate cues	#address-line-1	N/A
1.3.1 - Info and Relationships	If a native widget adopts certain interactive states, it must provide appropriate cues	#address-city	N/A
1.3.1 - Info and Relationships	If a native widget adopts certain interactive states, it must provide appropriate cues	#address-postcode	N/A
1.3.1 - Info and Relationships	If a native widget adopts certain interactive states, it must provide appropriate cues	#email	N/A

WCAG Number and Description	Requirement Description	Location	Comment
1.3.1 - Info and Relationships	If a native widget adopts certain interactive states, it must provide appropriate cues	#submit-card-details	N/A
1.3.1 - Info and Relationships	If a native widget adopts certain interactive states, it must provide appropriate cues	#cancel-payment	N/A
1.3.1 - Info and Relationships	If a native widget has a visible label or instructions, they must be programmatically determinable	#dform_widget_upload_application	N/A
1.3.2 - Meaningful Sequence	Meaningful content positioned on the page using CSS must retain its meaning when CSS is disabled	N/A	When you disable CSS- the entire structure changes. No longer showing the form that is visible when CSS is enabled. This completely changes the meaningful content. Other pages of the form and other pages that are generated based on selections are all displayed at once
1.3.5 - Identify Input Purpose	autocomplete attribute must be used correctly	#address-country	N/A
1.4.11 - Non-text Contrast	Any visual information that indicates a component's state must have sufficient contrast	#card-no	N/A
1.4.11 - Non-text Contrast	Any visual information that indicates a component's state must have sufficient contrast	#expiry-month	N/A

WCAG Number and Description	Requirement Description	Location	Comment
1.4.11 - Non-text Contrast	Any visual information that indicates a component's state must have sufficient contrast	#expiry-year	N/A
1.4.11 - Non-text Contrast	Any visual information that indicates a component's state must have sufficient contrast	#cardholder-name	N/A
1.4.11 - Non-text Contrast	Any visual information that indicates a component's state must have sufficient contrast	#cvc	N/A
1.4.11 - Non-text Contrast	Any visual information that indicates a component's state must have sufficient contrast	#address-line-1	N/A
1.4.11 - Non-text Contrast	Any visual information that indicates a component's state must have sufficient contrast	#address-line-2	N/A
1.4.11 - Non-text Contrast	Any visual information that indicates a component's state must have sufficient contrast	#address-city	N/A
1.4.11 - Non-text Contrast	Any visual information that indicates a component's state must have sufficient contrast	#address-postcode	N/A
1.4.11 - Non-text Contrast	Any visual information that indicates a component's state must have sufficient contrast	#email	N/A
1.4.11 - Non-text Contrast	Any visual information that indicates a component's state must have sufficient contrast	#submit-card-details	N/A
1.4.11 - Non-text Contrast	Any visual information that indicates a component's state must have sufficient contrast	#address-country	N/A
1.4.11 - Non-text Contrast	Any visual information that indicates a component's state must have sufficient contrast	#dform_widget_upload_application	N/A

WCAG Number and Description	Requirement Description	Location	Comment
1.4.11 - Non-text Contrast	Any visual information that indicates a component's state must have sufficient contrast	#dform_widget_txta_additional_details	N/A
1.4.11 - Non-text Contrast	Any visual information that indicates a component's state must have sufficient contrast	#dform_widget_title	N/A
1.4.11 - Non-text Contrast	Any visual information that indicates a component's state must have sufficient contrast	#dform_widget_first_name	N/A
1.4.11 - Non-text Contrast	Any visual information that indicates a component's state must have sufficient contrast	#dform_widget_last_name	N/A
1.4.11 - Non-text Contrast	Any visual information that indicates a component's state must have sufficient contrast	#dform_widget_phone_number	N/A
1.4.11 - Non-text Contrast	Any visual information that indicates a component's state must have sufficient contrast	#dform_widget_email_address	N/A
1.4.11 - Non-text Contrast	Any visual information that indicates a component's state must have sufficient contrast	#dform_widget_email_confirm_address	N/A
1.4.11 - Non-text Contrast	Any visual information that indicates a component's state must have sufficient contrast	#dform_widget_button_but_continue	N/A
2.1.1 - Keyboard	Users must be able to navigate to all interactive interface components using a keyboard	N/A	Can't navigate to the uploaded doc section (test.docx element) required to DELETE an attached file
2.4.7 - Focus Visible	Components must provide a visible indication when they have the input focus	N/A	No focus to the uploaded doc section (test.docx element) required to DELETE an attached file

WCAG Number and Description	Requirement Description	Location	Comment
2.5.3 - Label in Name	If a native widget has a visible label or instructions, they must be programmatically determinable	#dform_widget_upload_application	N/A
3.2.3 - Consistent Navigation	Navigational mechanisms that appear on multiple pages must be presented in the same relative order	N/A	Doesn't have the usual header or footer
3.2.3 - Consistent Navigation	Navigational mechanisms that appear on multiple pages must be presented in the same relative order	N/A	No Header
3.2.3 - Consistent Navigation	Navigational mechanisms that appear on multiple pages must be presented in the same relative order	N/A	The menu navigation bar is incorrect. It is not the same as the other pages with menu and search
3.2.4 - Consistent Identification	Functional components that appear on multiple pages must be identified consistently	N/A	The home link image doesn't point to home as usual
3.2.4 - Consistent Identification	Functional components that appear on multiple pages must be identified consistently	N/A	No Footer
3.2.4 - Consistent Identification	Functional components that appear on multiple pages must be identified consistently	N/A	The home icon is not a link as it is in other pages
3.3.2 - Labels or Instructions	A native widget must have a label and/or instructions that identify the expected input	#dform_widget_upload_application	N/A
3.3.3 - Error Suggestion	If an input error is automatically detected, guidance for correcting the error must be provided	N/A	Email address does not give the user the right information. I.e. the emails don't match but that information is not provided to the user.


WCAG Number and Description	Requirement Description	Location	Comment
4.1.2 - Name, Role, Value	If a native widget adopts certain interactive states, it must provide appropriate cues	#address-line-2	N/A
4.1.2 - Name, Role, Value	If a native widget adopts certain interactive states, it must provide appropriate cues	#card-no	N/A
4.1.2 - Name, Role, Value	If a native widget adopts certain interactive states, it must provide appropriate cues	#expiry-month	N/A
4.1.2 - Name, Role, Value	If a native widget adopts certain interactive states, it must provide appropriate cues	#expiry-year	N/A
4.1.2 - Name, Role, Value	If a native widget adopts certain interactive states, it must provide appropriate cues	#cardholder-name	N/A
4.1.2 - Name, Role, Value	If a native widget adopts certain interactive states, it must provide appropriate cues	#cvc	N/A
4.1.2 - Name, Role, Value	If a native widget adopts certain interactive states, it must provide appropriate cues	#address-line-1	N/A
4.1.2 - Name, Role, Value	If a native widget adopts certain interactive states, it must provide appropriate cues	#address-city	N/A
4.1.2 - Name, Role, Value	If a native widget adopts certain interactive states, it must provide appropriate cues	#address-postcode	N/A
4.1.2 - Name, Role, Value	If a native widget adopts certain interactive states, it must provide appropriate cues	#email	N/A
4.1.2 - Name, Role, Value	If a native widget adopts certain interactive states, it must provide appropriate cues	#submit-card-details	N/A

WCAG Number and Description	Requirement Description	Location	Comment
4.1.2 - Name, Role, Value	If a native widget adopts certain interactive states, it must provide appropriate cues	#cancel-payment	N/A

Webpage identifier

Friendly Name	Edinburgh_Fostering
Template Type :	PAGE
URL Identifier :	https://www.edinburghfostering.org.uk/
Effective Pages :	1

Dashboard Data



List of WCAG Failures


WCAG Number and Description	Requirement Description	Location	Comment
1.1.1 - Non-text Content	Images must have alternate text	img[alt=" "]	N/A
1.4.1 - Use of Color	Color must not be used as the only visual means for conveying meaning	N/A	Skip to Content all black; in Grayscale mode no text to indicate what the link is for
1.4.1 - Use of Color	Color must not be used as the only visual means for conveying meaning	N/A	Skip to Navigation all black; in Grayscale mode no text to indicate what the link is for
1.4.3 - Contrast (Minimum)	Elements must meet minimum color contrast ratio thresholds	p:nth-child(5) > .button	N/A
1.4.11 - Non-text Contrast	Any visual information that indicates a component's state must have sufficient contrast	a[href\$="#content"]	N/A
1.4.11 - Non-text Contrast	Any visual information that indicates a component's state must have sufficient contrast	.list__link[rel="nofollow"][href\$="#menu"]	N/A
2.4.3 - Focus Order	Components must receive focus in an order that preserves meaning and operability	N/A	ENTER open the Menu button, TAB enters menu and navigates around elements but then goes AWOL to main page. BUT the failure here is ENTER is the toggle key to close and it doesn't resume but goes back to the start again

WCAG Number and Description	Requirement Description	Location	Comment
2.4.7 - Focus Visible	Components must provide a visible indication when they have the input focus	N/A	The menu button (link) has no visible focus. You only know it's a link when a visual helper is on!
4.1.3 - Status Messages	Status messages must be programmatically determinable without receiving focus	N/A	Search result container has no role assigned. Also, the results are placed above the actual search form (edit and button)

Webpage identifier

Friendly Name	Book_Recycling
Template Type :	FORM
URL Identifier :	https://selfservice-edinburgh.servicebuilder.co.uk/renderform?f=1&k=204AB316D8482119FC3D29D759A8716E04BAEE03&refresh=1
Effective Pages :	3

Dashboard Data



List of WCAG Failures

WCAG Number and Description	Requirement Description	Location	Comment
1.4.11 - Non-text Contrast	Any visual information that indicates a component's state must have sufficient contrast	#FF10	N/A
1.4.11 - Non-text Contrast	Any visual information that indicates a component's state must have sufficient contrast	#FF11-text	N/A
1.4.11 - Non-text Contrast	Any visual information that indicates a component's state must have sufficient contrast	#FF15	N/A
1.4.11 - Non-text Contrast	Any visual information that indicates a component's state must have sufficient contrast	#FF25	N/A
1.4.11 - Non-text Contrast	Any visual information that indicates a component's state must have sufficient contrast	#FF30	N/A
1.4.11 - Non-text Contrast	Any visual information that indicates a component's state must have sufficient contrast	#FF32	N/A
1.4.11 - Non-text Contrast	Any visual information that indicates a component's state must have sufficient contrast	#FF12	N/A
1.4.11 - Non-text Contrast	Any visual information that indicates a component's state must have sufficient contrast	#FF14	N/A
1.4.11 - Non-text Contrast	Any visual information that indicates a component's state must have sufficient contrast	#FF27	N/A
1.4.11 - Non-text Contrast	Any visual information that indicates a component's state must have sufficient contrast	#FF1_Time	N/A


WCAG Number and Description	Requirement Description	Location	Comment
1.4.11 - Non-text Contrast	Any visual information that indicates a component's state must have sufficient contrast	#FF1_Date	N/A
2.4.3 - Focus Order	Closing revealed content must return input focus to the component that revealed it	N/A	<p>SC 2.4.3 Combo box can't be opened with Down arrow can't be closed by ESC or S + TAB or Up Arrow Once revealed it won't close and you need to go back and type in a new postcode to change. Clearing form to empty doesn't change the list addresses and no error message</p> <p>Also down arrow selects 1st item without user getting chance to select</p>
2.4.3 - Focus Order	Components must receive focus in an order that preserves meaning and operability	N/A	<p>SC 2.4.3 Combo box can't be opened with Down arrow can't be closed by ESC or S + TAB or Up Arrow Once revealed it won't close and you need to go back a type in a new postcode to change. Clearing form</p>

WCAG Number and Description	Requirement Description	Location	Comment
			<p>to empty doesn't change the list addresses and no error message</p> <p>Also down arrow selects 1st item without user getting chance to select</p>
<p>3.2.2 - On Input</p>	<p>Changing a component's settings must not trigger any unexpected change of context</p>	<p>N/A</p>	<p>Down Arrow selects first list item rather than letting user choose the address.</p>
<p>4.1.3 - Status Messages</p>	<p>Status messages must be programmatically determinable without receiving focus</p>	<p>N/A</p>	<p>NO aria role to enable screen reader users to get the error announcement. DOESNT even focus on tabbing around the screen</p>

Webpage identifier

Friendly Name	Jobs_Board
Template Type :	Blog Post - PAGE
URL Identifier :	https://www.edinburgh.gov.uk/blog/jobsboard/page/1
Effective Pages :	1

Dashboard Data



List of WCAG Failures


WCAG Number and Description	Requirement Description	Location	Comment
1.3.1 - Info and Relationships	A landmark region must have the role that best describes its content	.header	N/A
1.3.1 - Info and Relationships	An element coded as a heading must function as a heading	#sitetitle	N/A
1.3.1 - Info and Relationships	A heading's programmatic level must match the level that's presented visually	#sitetitle	N/A
2.4.4 - Link Purpose (In Context)	Links must have discernible text	a[href\$="jobsboard"]	N/A
2.4.4 - Link Purpose (In Context)	The purpose of a link must be described by its link text alone, or by the link text together with preceding page context	a[href\$="jobsboard"]	N/A
2.4.4 - Link Purpose (In Context)	The purpose of a link must be described by its link text alone, or by the link text together with preceding page context	a[title="Feed"]	N/A
2.4.5 - Multiple Ways	Users must have multiple ways to navigate to a page	N/A	Only search on RHS to search jobs board blog this is a link from Th Edinburgh Guarantee with other options but no way back? No Home or other nav menu
2.4.6 - Headings and Labels	An element coded as a heading must function as a heading	#sitetitle	N/A
3.2.3 - Consistent Navigation	Navigational mechanisms that appear on multiple pages must be presented in the same relative order	N/A	Doesn't have Edinburgh Navigation/Menu. No

WCAG Number and Description	Requirement Description	Location	Comment
			navigation mechanisms at all.
3.2.4 - Consistent Identification	Functional components that appear on multiple pages must be identified consistently	N/A	No Edinburgh Logo to go back to Home Page
4.1.2 - Name, Role, Value	Links must have discernible text	a[href\$="jobsboard"]	N/A
4.1.3 - Status Messages	Status messages must be programmatically determinable without receiving focus	N/A	When searching a post display NOT FOUND as heading 2 at top of page without assigning alert role or status role to let user know - fails NVDA test

Webpage identifier

Friendly Name	Registrars_Edinburgh
Template Type :	Registrar PAGE
URL Identifier :	https://edinburgh.zipporah.co.uk/Registrars.Edinburgh.Live
Effective Pages :	4

Dashboard Data



List of WCAG Failures

WCAG Number and Description	Requirement Description	Location	Comment
1.1.1 - Non-text Content	Every image must be coded as either meaningful or decorative	i	N/A
1.1.1 - Non-text Content	Every image must be coded as either meaningful or decorative	i	N/A
1.1.1 - Non-text Content	Every image must be coded as either meaningful or decorative	i	N/A
1.1.1 - Non-text Content	Every image must be coded as either meaningful or decorative	i	N/A
1.3.1 - Info and Relationships	ARIA role should be appropriate for the element	#searchSite	N/A
1.3.1 - Info and Relationships	A landmark region must have the role that best describes its content	#search	N/A
1.3.1 - Info and Relationships	A landmark region must have the role that best describes its content	#searchSite	N/A
1.3.1 - Info and Relationships	The main landmark must contain all of the page's primary content	N/A	Two main landmarks
1.3.1 - Info and Relationships	The main landmark must not contain any blocks of content that repeat across pages	N/A	The first mane has two menu buttons with links that appear in every page
1.3.1 - Info and Relationships	If a native widget has a visible label or instructions, they must be programmatically determinable	#ResourceCategory	N/A
1.3.1 - Info and Relationships	If a native widget has a visible label or instructions, they must be programmatically determinable	#Date	N/A
1.3.1 - Info and Relationships	ARIA role should be appropriate for the element	#searchSite	N/A
1.3.1 - Info and Relationships	A landmark region must have the role that best describes its content	#search	N/A
1.3.1 - Info and Relationships	A landmark region must have the role that best describes its content	#searchSite	N/A

WCAG Number and Description	Requirement Description	Location	Comment
1.3.1 - Info and Relationships	The main landmark must contain all of the page's primary content	N/A	Two main landmarks
1.3.1 - Info and Relationships	The main landmark must not contain any blocks of content that repeat across pages	N/A	The first mane has two menu buttons with links that appear in every page
1.3.1 - Info and Relationships	If a native widget adopts certain interactive states, it must provide appropriate cues	#MotherTitle	N/A
1.3.1 - Info and Relationships	If a native widget adopts certain interactive states, it must provide appropriate cues	#MotherFirstName	N/A
1.3.1 - Info and Relationships	If a native widget adopts certain interactive states, it must provide appropriate cues	#MotherSurname	N/A
1.3.1 - Info and Relationships	If a native widget adopts certain interactive states, it must provide appropriate cues	#Telephone	N/A
1.3.1 - Info and Relationships	If a native widget adopts certain interactive states, it must provide appropriate cues	#Email	N/A
1.3.1 - Info and Relationships	ARIA role should be appropriate for the element	#searchSite	N/A
1.3.1 - Info and Relationships	A landmark region must have the role that best describes its content	#search	N/A
1.3.1 - Info and Relationships	A landmark region must have the role that best describes its content	#searchSite	N/A
1.3.1 - Info and Relationships	The main landmark must contain all of the page's primary content	N/A	Two main landmarks
1.3.1 - Info and Relationships	The main landmark must not contain any blocks of content that repeat across pages	N/A	The first Main has two menu buttons with links that appear in every page

WCAG Number and Description	Requirement Description	Location	Comment
1.3.1 - Info and Relationships	A heading's programmatic level must match the level that's presented visually	.content > h2	N/A
1.3.1 - Info and Relationships	A heading's programmatic level must match the level that's presented visually	.no-top	N/A
1.3.1 - Info and Relationships	ARIA role should be appropriate for the element	#searchSite	N/A
1.3.1 - Info and Relationships	A landmark region must have the role that best describes its content	#search	N/A
1.3.1 - Info and Relationships	A landmark region must have the role that best describes its content	#searchSite	N/A
1.3.1 - Info and Relationships	The main landmark must contain all of the page's primary content	N/A	Two main landmarks
1.3.1 - Info and Relationships	The main landmark must not contain any blocks of content that repeat across pages	N/A	Main Landmarks has links that appear in every page
1.3.1 - Info and Relationships	An element coded as a heading must function as a heading	form[method="post"] > h3	N/A
1.3.1 - Info and Relationships	A heading's programmatic level must match the level that's presented visually	form[method="post"] > h3	N/A
1.3.5 - Identify Input Purpose	Text fields that serve certain purposes must have the correct HTML5 autocomplete attribute	#searchSite	N/A
1.3.5 - Identify Input Purpose	Text fields that serve certain purposes must have the correct HTML5 autocomplete attribute	#MotherFirstName	N/A
1.3.5 - Identify Input Purpose	Text fields that serve certain purposes must have the correct HTML5 autocomplete attribute	#MotherSurname	N/A
1.3.5 - Identify Input Purpose	Text fields that serve certain purposes must have the correct HTML5 autocomplete attribute	#Telephone	N/A

WCAG Number and Description	Requirement Description	Location	Comment
1.3.5 - Identify Input Purpose	Text fields that serve certain purposes must have the correct HTML5 autocomplete attribute	#Email	N/A
1.4.11 - Non-text Contrast	Visual information used to identify active user interface components and their states must have sufficient contrast	p:nth-child(12) > strong > span > a	N/A
1.4.13 - Content on Hover or Focus	Content that appears on focus or hover must be dismissible, hoverable, and persistent	N/A	G - can't dismiss the hover element
1.4.13 - Content on Hover or Focus	Content that appears on focus or hover must be dismissible, hoverable, and persistent	N/A	G - can't dismiss the hover element
1.4.13 - Content on Hover or Focus	Content that appears on focus or hover must be dismissible, hoverable, and persistent	N/A	G - can't dismiss the hover element
1.4.13 - Content on Hover or Focus	Content that appears on focus or hover must be dismissible, hoverable, and persistent	N/A	G - can't dismiss the hover element
2.1.1 - Keyboard	Users must be able to navigate to all interactive interface components using a keyboard	N/A	Calendar component doesn't work. Can't change months with keyboard.
2.1.1 - Keyboard	Users must be able to navigate to all interactive interface components using a keyboard	N/A	G doesn't get the focus at all
2.1.1 - Keyboard	Users must be able to navigate to all interactive interface components using a keyboard	N/A	Date Picker doesn't work
2.4.1 - Bypass Blocks	The main landmark must contain all of the page's primary content	N/A	Two main landmarks
2.4.1 - Bypass Blocks	The main landmark must not contain any blocks of content that repeat across pages	N/A	The first mane has two menu buttons with

WCAG Number and Description	Requirement Description	Location	Comment
			links that appear in every page
2.4.1 - Bypass Blocks	A page must provide a keyboard-accessible method to bypass repetitive content	N/A	Skip to content fails
2.4.1 - Bypass Blocks	A page must provide a keyboard-accessible method to bypass repetitive content	N/A	Skip to accessibility fails
2.4.1 - Bypass Blocks	The main landmark must contain all of the page's primary content	N/A	Two main landmarks
2.4.1 - Bypass Blocks	The main landmark must not contain any blocks of content that repeat across pages	N/A	The first main has two menu buttons with links that appear in every page
2.4.1 - Bypass Blocks	A page must provide a keyboard-accessible method to bypass repetitive content	N/A	Skip to content fails
2.4.1 - Bypass Blocks	A page must provide a keyboard-accessible method to bypass repetitive content	N/A	Skip to accessibility fails
2.4.1 - Bypass Blocks	The main landmark must contain all of the page's primary content	N/A	Two main landmarks
2.4.1 - Bypass Blocks	The main landmark must not contain any blocks of content that repeat across pages	N/A	The first Main has two menu buttons with links that appear in every page
2.4.1 - Bypass Blocks	A page must provide a keyboard-accessible method to bypass repetitive content	N/A	Skip to main content fails
2.4.1 - Bypass Blocks	A page must provide a keyboard-accessible method to bypass repetitive content	N/A	Skip to accessibility fails
2.4.1 - Bypass Blocks	The main landmark must contain all of the page's primary content	N/A	Two main landmarks

WCAG Number and Description	Requirement Description	Location	Comment
2.4.1 - Bypass Blocks	The main landmark must not contain any blocks of content that repeat across pages	N/A	Main Landmarks has links that appear in every page
2.4.1 - Bypass Blocks	A page must provide a keyboard-accessible method to bypass repetitive content	N/A	Skip to content fails
2.4.1 - Bypass Blocks	A page must provide a keyboard-accessible method to bypass repetitive content	N/A	Skip to accessibility fails
2.4.3 - Focus Order	Closing revealed content must return input focus to the component that revealed it	N/A	When choosing a date or closing the selection box focus moves to the top of the page
2.4.3 - Focus Order	Components must receive focus in an order that preserves meaning and operability	N/A	Search goes to skip
2.4.4 - Link Purpose (In Context)	The purpose of a link must be described by its link text alone, or by the link text together with preceding page context	a[title="Menu"]	N/A
2.4.4 - Link Purpose (In Context)	The purpose of a link must be described by its link text alone, or by the link text together with preceding page context	.zip-skip-to-content-link	N/A
2.4.4 - Link Purpose (In Context)	The purpose of a link must be described by its link text alone, or by the link text together with preceding page context	.skip-link.away:nth-child(3)	N/A
2.4.4 - Link Purpose (In Context)	The purpose of a link must be described by its link text alone, or by the link text together with preceding page context	a[accesskey="6"]	N/A

WCAG Number and Description	Requirement Description	Location	Comment
2.4.4 - Link Purpose (In Context)	The purpose of a link must be described by its link text alone, or by the link text together with preceding page context	a[title="Menu"]	N/A
2.4.4 - Link Purpose (In Context)	The purpose of a link must be described by its link text alone, or by the link text together with preceding page context	.zip-skip-to-content-link	N/A
2.4.4 - Link Purpose (In Context)	The purpose of a link must be described by its link text alone, or by the link text together with preceding page context	.skip-link.away:nth-child(3)	N/A
2.4.4 - Link Purpose (In Context)	The purpose of a link must be described by its link text alone, or by the link text together with preceding page context	a[accesskey="6"]	N/A
2.4.4 - Link Purpose (In Context)	The purpose of a link must be described by its link text alone, or by the link text together with preceding page context	a[title="Menu"]	N/A
2.4.4 - Link Purpose (In Context)	The purpose of a link must be described by its link text alone, or by the link text together with preceding page context	.skip-link.away:nth-child(3)	N/A
2.4.4 - Link Purpose (In Context)	The purpose of a link must be described by its link text alone, or by the link text together with preceding page context	a[accesskey="6"]	N/A
2.4.4 - Link Purpose (In Context)	The purpose of a link must be described by its link text alone, or by the link text together with preceding page context	a[title="Menu"]	N/A
2.4.4 - Link Purpose (In Context)	The purpose of a link must be described by its link text alone, or by the link text together with preceding page context	.zip-skip-to-content-link	N/A

WCAG Number and Description	Requirement Description	Location	Comment
	the link text together with preceding page context		
2.4.4 - Link Purpose (In Context)	The purpose of a link must be described by its link text alone, or by the link text together with preceding page context	.skip-link.away:nth-child(3)	N/A
2.4.4 - Link Purpose (In Context)	The purpose of a link must be described by its link text alone, or by the link text together with preceding page context	a[accesskey="6"]	N/A
2.4.6 - Headings and Labels	An element coded as a heading must function as a heading	form[method="post"] > h3	N/A
2.4.7 - Focus Visible	Components must provide a visible indication when they have the input focus	N/A	Cancel button
2.4.7 - Focus Visible	Components must provide a visible indication when they have the input focus	N/A	Cancel button doesn't show focus
2.5.3 - Label in Name	If a native widget has a visible label or instructions, they must be programmatically determinable	#ResourceCategory	N/A
2.5.3 - Label in Name	If a native widget has a visible label or instructions, they must be programmatically determinable	#Date	N/A
2.5.8 - Target Size	Touch targets must have sufficient size and spacing to be easily activated without accidentally activating an adjacent target	N/A	Home and menu
2.5.8 - Target Size	Touch targets must have sufficient size and spacing to be easily activated without accidentally activating an adjacent target	N/A	The g drop
2.5.8 - Target Size	Touch targets must have sufficient size and spacing to be easily activated	N/A	Home and menu

WCAG Number and Description	Requirement Description	Location	Comment
	without accidentally activating an adjacent target		
2.5.8 - Target Size	Touch targets must have sufficient size and spacing to be easily activated without accidentally activating an adjacent target	N/A	The g drop
2.5.8 - Target Size	Touch targets must have sufficient size and spacing to be easily activated without accidentally activating an adjacent target	N/A	Home and menu
2.5.8 - Target Size	Touch targets must have sufficient size and spacing to be easily activated without accidentally activating an adjacent target	N/A	Home and menu
3.2.2 - On Input	Changing a component's settings must not trigger any unexpected change of context	N/A	Selecting any input apart from next button sends you back to the top of the page and you have to navigate the whole way back
3.2.2 - On Input	Changing a component's settings must not trigger any unexpected change of context	N/A	Whenever you enter a date and press select. When you press the tab to get to the list of dates. But it doesn't get you there and send you back to the top of the page
3.2.3 - Consistent Navigation	Navigational mechanisms that appear on multiple pages must be presented in the same relative order	N/A	Footer and header are different than rest of the site
3.2.3 - Consistent Navigation	Navigational mechanisms that appear on multiple pages must be presented in the same relative order	N/A	Footer and header are different than rest of the site


WCAG Number and Description	Requirement Description	Location	Comment
3.2.3 - Consistent Navigation	Navigational mechanisms that appear on multiple pages must be presented in the same relative order	N/A	Footer and header are different than rest of the site
3.2.3 - Consistent Navigation	Navigational mechanisms that appear on multiple pages must be presented in the same relative order	N/A	Footer and header are different than rest of the site
3.3.2 - Labels or Instructions	A native widget must have a label and/or instructions that identify the expected input	#Date	N/A
3.3.3 - Error Suggestion	If an input error is automatically detected, guidance for correcting the error must be provided	N/A	Doesn't say what date format to enter. i.e. day/month/year
4.1.2 - Name, Role, Value	ARIA role should be appropriate for the element	#searchSite	N/A
4.1.2 - Name, Role, Value	If an anchor element functions as a custom widget, it must have the appropriate ARIA widget role	a[title="Menu"]	N/A
4.1.2 - Name, Role, Value	ARIA role should be appropriate for the element	#searchSite	N/A
4.1.2 - Name, Role, Value	If an anchor element functions as a custom widget, it must have the appropriate ARIA widget role	a[title="Menu"]	N/A
4.1.2 - Name, Role, Value	If a native widget adopts certain interactive states, it must provide appropriate cues	#MotherTitle	N/A
4.1.2 - Name, Role, Value	If a native widget adopts certain interactive states, it must provide appropriate cues	#MotherFirstName	N/A
4.1.2 - Name, Role, Value	If a native widget adopts certain interactive states, it must provide appropriate cues	#MotherSurname	N/A
4.1.2 - Name, Role, Value	If a native widget adopts certain interactive states, it must provide appropriate cues	#Telephone	N/A

WCAG Number and Description	Requirement Description	Location	Comment
4.1.2 - Name, Role, Value	If a native widget adopts certain interactive states, it must provide appropriate cues	#Email	N/A
4.1.2 - Name, Role, Value	ARIA role should be appropriate for the element	#searchSite	N/A
4.1.2 - Name, Role, Value	If an anchor element functions as a custom widget, it must have the appropriate ARIA widget role	a[title="Menu"]	N/A
4.1.2 - Name, Role, Value	ARIA role should be appropriate for the element	#searchSite	N/A
4.1.2 - Name, Role, Value	If an anchor element functions as a custom widget, it must have the appropriate ARIA widget role	a[title="Menu"]	N/A
4.1.3 - Status Messages	Status messages must be programmatically determinable without receiving focus	N/A	Dosen: t alert that there is an error to a screen reader
4.1.3 - Status Messages	Status messages must be programmatically determinable without receiving focus	N/A	Error message at the beginning is not alerted to the screen reader
4.1.3 - Status Messages	Status messages must be programmatically determinable without receiving focus	N/A	The error on the text boxes don't read out to screen reader

Webpage identifier

Friendly Name	Cover_Page
Template Type :	PAGE
URL Identifier :	https://democracy.edinburgh.gov.uk/uuCoverPage.aspx?bcr=1
Effective Pages :	1

Dashboard Data




List of WCAG Failures

WCAG Number and Description	Requirement Description	Location	Comment
1.3.1 - Info and Relationships	 and must only directly contain , <script> or <template> elements	ol	N/A
1.3.1 - Info and Relationships	Words and phrases that are visually emphasized must be contained within semantically correct containers	N/A	Political Management Arrangements uses u and b tags and not
2.4.1 - Bypass Blocks	A page must provide a keyboard-accessible method to bypass repetitive content	N/A	No Bypass mechanism exists
2.4.5 - Multiple Ways	Users must have multiple ways to navigate to a page	N/A	No navigation mechanisms
3.2.3 - Consistent Navigation	Navigational mechanisms that appear on multiple pages must be presented in the same relative order	N/A	No navigational mechanisms exist

Webpage identifier

Friendly Name	SWF_Form
Template Type :	FORM
URL Identifier :	https://espws.necsws.com/ords/pwslive/ – accessed from: https://www.edinburgh.gov.uk/benefits-grants/scottish-welfare-fund/2?documentId=12271&categoryId=20127)
Effective Pages :	1

Dashboard Data



List of WCAG Failures

WCAG Number and Description	Requirement Description	Location	Comment
1.3.1 - Info and Relationships	A landmark region must have the role that best describes its content	#R60397129236077775	N/A
1.3.5 - Identify Input Purpose	Text fields that serve certain purposes must have the correct HTML5 autocomplete attribute	#INT068	N/A
1.3.5 - Identify Input Purpose	Text fields that serve certain purposes must have the correct HTML5 autocomplete attribute	#INT069	N/A
1.3.5 - Identify Input Purpose	Text fields that serve certain purposes must have the correct HTML5 autocomplete attribute	#INT070	N/A
1.3.5 - Identify Input Purpose	Text fields that serve certain purposes must have the correct HTML5 autocomplete attribute	#dpPW0080_P1	N/A
1.3.5 - Identify Input Purpose	Text fields that serve certain purposes must have the correct HTML5 autocomplete attribute	#dpPW0080_P2	N/A
1.3.5 - Identify Input Purpose	Text fields that serve certain purposes must have the correct HTML5 autocomplete attribute	#dpPW0080_P3	N/A
1.4.3 - Contrast (Minimum)	Elements must meet minimum color contrast ratio thresholds	ul:nth-child(1) > li > a[target="_blank"][aria-live="assertive"]	N/A
1.4.3 - Contrast (Minimum)	Elements must meet minimum color contrast ratio thresholds	ul:nth-child(2) > li > a[target="_blank"][aria-live="assertive"]	N/A
1.4.3 - Contrast (Minimum)	Elements must meet minimum color contrast ratio thresholds	ul:nth-child(3) > li > a[target="_blank"][aria-live="assertive"]	N/A
1.4.11 - Non-text Contrast	Visual information used to identify active user interface components and their states must have sufficient contrast	ul:nth-child(2) > li > a[target="_blank"][title=""][aria-live="assertive"]	N/A

WCAG Number and Description	Requirement Description	Location	Comment
1.4.11 - Non-text Contrast	Visual information used to identify active user interface components and their states must have sufficient contrast	ul:nth-child(3) > li > a[target="_blank"][title=""][aria-live="assertive"]	N/A
1.4.11 - Non-text Contrast	Visual information used to identify active user interface components and their states must have sufficient contrast	#slPW0020_title	N/A
1.4.11 - Non-text Contrast	Any visual information that indicates a component's state must have sufficient contrast	#slPW0020_title	N/A
1.4.11 - Non-text Contrast	Any visual information that indicates a component's state must have sufficient contrast	#PW0020_firstname	N/A
1.4.11 - Non-text Contrast	Any visual information that indicates a component's state must have sufficient contrast	#PW0020_othersname	N/A
1.4.11 - Non-text Contrast	Any visual information that indicates a component's state must have sufficient contrast	#PW0020_lastname	N/A
1.4.11 - Non-text Contrast	Any visual information that indicates a component's state must have sufficient contrast	#PW0060	N/A
1.4.11 - Non-text Contrast	Any visual information that indicates a component's state must have sufficient contrast	#slPW0070	N/A
1.4.11 - Non-text Contrast	Any visual information that indicates a component's state must have sufficient contrast	#dpPW0080_P1	N/A
1.4.11 - Non-text Contrast	Any visual information that indicates a component's state must have sufficient contrast	#dpPW0080_P2	N/A

WCAG Number and Description	Requirement Description	Location	Comment
1.4.11 - Non-text Contrast	Any visual information that indicates a component's state must have sufficient contrast	#dpPW0080_P3	N/A
1.4.11 - Non-text Contrast	Any visual information that indicates a component's state must have sufficient contrast	#OTHSURNAM	N/A
1.4.11 - Non-text Contrast	Any visual information that indicates a component's state must have sufficient contrast	#rbAPPHASADDY_0	N/A
1.4.11 - Non-text Contrast	Any visual information that indicates a component's state must have sufficient contrast	#rbAPPHASADDN_1	N/A
1.4.11 - Non-text Contrast	Any visual information that indicates a component's state must have sufficient contrast	#rbPWSLVGCAREY_0	N/A
1.4.11 - Non-text Contrast	Any visual information that indicates a component's state must have sufficient contrast	#rbPWSLVGCAREN_1	N/A
1.4.11 - Non-text Contrast	Any visual information that indicates a component's state must have sufficient contrast	#INT068	N/A
1.4.11 - Non-text Contrast	Any visual information that indicates a component's state must have sufficient contrast	#INT069	N/A
1.4.11 - Non-text Contrast	Any visual information that indicates a component's state must have sufficient contrast	#INT070	N/A
1.4.11 - Non-text Contrast	Any visual information that indicates a component's state must have sufficient contrast	#sIAI0230	N/A
1.4.11 - Non-text Contrast	Any visual information that indicates a component's state must have sufficient contrast	#sIAI0240	N/A


WCAG Number and Description	Requirement Description	Location	Comment
1.4.11 - Non-text Contrast	Any visual information that indicates a component's state must have sufficient contrast	#slCOUNTRY	N/A
1.4.11 - Non-text Contrast	Any visual information that indicates a component's state must have sufficient contrast	#slIMMIGRATE	N/A
1.4.11 - Non-text Contrast	Any visual information that indicates a component's state must have sufficient contrast	#rbINT010Y_0	N/A
1.4.11 - Non-text Contrast	Any visual information that indicates a component's state must have sufficient contrast	#rbINT010N_1	N/A
1.4.11 - Non-text Contrast	Any visual information that indicates a component's state must have sufficient contrast	#B60249546133449650	N/A
1.4.11 - Non-text Contrast	Any visual information that indicates a component's state must have sufficient contrast	#B61122847178312949	N/A
3.2.3 - Consistent Navigation	Navigational mechanisms that appear on multiple pages must be presented in the same relative order	N/A	Differs significantly from the rest of the edi.gov site without the menu bar and the footer.
3.2.3 - Consistent Navigation	Navigational mechanisms that appear on multiple pages must be presented in the same relative order	N/A	Missing the accessibility toolbar that's on every other page.
3.2.4 - Consistent Identification	Functional components that appear on multiple pages must be identified consistently	N/A	Cookies is a link to a separate page rather than to the cookie toolbar used throughout the site

WCAG Number and Description	Requirement Description	Location	Comment
3.2.4 - Consistent Identification	Functional components that appear on multiple pages must be identified consistently	N/A	Edinburgh logo is a picture and not logo like the rest of the site
4.1.3 - Status Messages	Status messages must be programmatically determinable without receiving focus	N/A	<p>There is an error message at the top but doesn't have any of the roles here.</p> <p>NVDA reads out the error links but doesn't read out that there is an issue.</p>

Webpage identifier

Friendly Name	Public_TV
Template Type :	PORTAL
URL Identifier :	https://edinburgh.public-i.tv/core/portal/home
Effective Pages :	1

Dashboard Data



List of WCAG Failures


WCAG Number and Description	Requirement Description	Location	Comment
1.2.4 - Captions (Live)	Captions must be provided for live (streaming) video with audio	N/A	Don't say name and who is speaking. But this might be, ok? because they introduce next speaker ?
1.3.1 - Info and Relationships	Certain ARIA roles must contain particular children	#Webcast_Nav_list	N/A
1.3.1 - Info and Relationships	Certain ARIA roles must be contained by particular parents	#timeline_tab_link	N/A
1.3.1 - Info and Relationships	Certain ARIA roles must be contained by particular parents	#resources_tab_link	N/A
1.3.1 - Info and Relationships	Certain ARIA roles must be contained by particular parents	#feedback_tab_link	N/A
1.3.1 - Info and Relationships	 elements must be contained in a or 	#Webcast_Nav_Timeline	N/A
1.3.1 - Info and Relationships	 elements must be contained in a or 	#Webcast_Nav_Resources	N/A
1.3.1 - Info and Relationships	 elements must be contained in a or 	#Webcast_Nav_Feedback	N/A
1.3.1 - Info and Relationships	A landmark region must have the role that best describes its content	#skip_nav	N/A
1.3.1 - Info and Relationships	A landmark region must have the role that best describes its content	#navbar_main	N/A
1.3.1 - Info and Relationships	A landmark region must have the role that best describes its content	#Webcast_Nav > nav	N/A
1.3.1 - Info and Relationships	A landmark region must have the role that best describes its content	#skip_player	N/A
1.3.1 - Info and Relationships	An element coded as a heading must function as a heading	h1	N/A

WCAG Number and Description	Requirement Description	Location	Comment
1.3.1 - Info and Relationships	A heading's programmatic level must match the level that's presented visually	h1	N/A
1.4.4 - Resize text	Users must be able to resize text, without using assistive technology, up to 200% with no loss of content or functionality	N/A	In the feedback box. Text clips out
1.4.11 - Non-text Contrast	Any visual information that indicates a component's state must have sufficient contrast	#feedback_name	N/A
1.4.11 - Non-text Contrast	Any visual information that indicates a component's state must have sufficient contrast	#feedback_email	N/A
1.4.11 - Non-text Contrast	Any visual information that indicates a component's state must have sufficient contrast	#feedback_comments	N/A
1.4.11 - Non-text Contrast	Any visual information that indicates a component's state must have sufficient contrast	#submit_feedback_form	N/A
1.4.11 - Non-text Contrast	Any visual information that indicates a component's state must have sufficient contrast	iframe[data-hcaptcha-widget-id="0k8luavhb8r"], #checkbox	N/A
2.4.6 - Headings and Labels	An element coded as a heading must function as a heading	h1	N/A
2.5.2 - Pointer Cancellation	Users must be able to cancel functions that can be operated using a single pointer	N/A	Playing video is a down click
4.1.2 - Name, Role, Value	Elements must only use allowed ARIA attributes	#Webcast_Nav_Timeline	N/A
4.1.2 - Name, Role, Value	Elements must only use allowed ARIA attributes	#Webcast_Nav_Resources	N/A
4.1.2 - Name, Role, Value	Elements must only use allowed ARIA attributes	#Webcast_Nav_Feedback	N/A

Webpage identifier

Friendly Name	National_Support_Directory
Template Type :	DIRECTORY
URL Identifier :	https://www.edinburgh.gov.uk/national-support-network-directory
Effective Pages :	1

Dashboard Data



List of WCAG Failures

WCAG Number and Description	Requirement Description	Location	Comment
1.3.1 - Info and Relationships	A heading's programmatic level must match the level that's presented visually	h1	N/A
1.3.1 - Info and Relationships	A heading's programmatic level must match the level that's presented visually	#modulelframe, .md\:text-3xl	N/A
1.3.1 - Info and Relationships	A heading's programmatic level must match the level that's presented visually	#modulelframe, .justify-between.flex > h1	N/A
1.3.1 - Info and Relationships	If a native widget has a visible label or instructions, they must be programmatically determinable	#modulelframe, #Scotland	N/A
1.3.1 - Info and Relationships	If a native widget has a visible label or instructions, they must be programmatically determinable	#modulelframe, #England	N/A
1.3.1 - Info and Relationships	If a native widget has a visible label or instructions, they must be programmatically determinable	#modulelframe, #Wales	N/A
1.3.1 - Info and Relationships	If a native widget has a visible label or instructions, they must be programmatically determinable	#modulelframe, .ml-2	N/A
1.3.1 - Info and Relationships	If a native widget has a visible label or instructions, they must be programmatically determinable	#modulelframe, .md\:px-8	N/A
1.3.3 - Sensory Characteristics	Instructions must not rely solely on color or other sensory characteristics	N/A	Green thumbs up and red thumbs down have no text alternative to say positive or negative
1.4.10 - Reflow	Content must be visible without having to scroll in two dimensions	N/A	When you search for a site, it takes up the

WCAG Number and Description	Requirement Description	Location	Comment
			whole screen and hides other content
1.4.12 - Text Spacing	Users must be able to adjust text spacing with no loss of content or functionality	N/A	View site,
1.4.12 - Text Spacing	Users must be able to adjust text spacing with no loss of content or functionality	N/A	Trouble accessing Services
1.4.12 - Text Spacing	Users must be able to adjust text spacing with no loss of content or functionality	N/A	Search by problem
1.4.12 - Text Spacing	Users must be able to adjust text spacing with no loss of content or functionality	N/A	Call button
2.1.1 - Keyboard	Users must be able to navigate to all interactive interface components using a keyboard	N/A	After selecting an illness - the filter bar is only half accessible via keyboard - type format and designed for are all not accessible via keyboard
2.1.1 - Keyboard	Users must be able to navigate to all interactive interface components using a keyboard	N/A	The positive and negative review are inaccessible
2.1.1 - Keyboard	Users must be able to navigate to all interactive interface components using a keyboard	N/A	Not able to click on 3 dots to the right of a website to report that something isn't correct

WCAG Number and Description	Requirement Description	Location	Comment
2.1.1 - Keyboard	Users must be able to navigate to all interactive interface components using a keyboard	N/A	Can't click on the something missing link.
2.1.1 - Keyboard	Users must be able to navigate to all interactive interface components using a keyboard	N/A	Can't tab down the list of illness
2.1.1 - Keyboard	Users must be able to navigate to all interactive interface components using a keyboard	N/A	Can't tab into the sub menus i.e. go to home > further support can't then tab into armed forces etc. from the search menu
2.4.3 - Focus Order	Activating a component that reveals hidden content must move input focus into the revealed content	N/A	When opening a search box to search for illness you can't then tab down the elements. Tabbing down the elements takes you to the other links.
2.4.3 - Focus Order	Closing revealed content must return input focus to the component that revealed it	N/A	When you start typing in the search bar it's impossible to close it
2.4.4 - Link Purpose (In Context)	The purpose of a link must be described by its link text alone, or by the link text together with preceding page context	#moduleIframe, .md\text-base.mx-2[href\$="allergies"]	N/A
2.4.4 - Link Purpose (In Context)	The purpose of a link must be described by its link text alone, or by the link text together with preceding page context	#moduleIframe, .md\w-auto	N/A
2.4.7 - Focus Visible	Components must provide a visible indication when they have the input focus	N/A	After you have selected an illness, it takes you to that


WCAG Number and Description	Requirement Description	Location	Comment
			page. The focus order doesn't follow the tab i.e. the focus won't move off the element, but the visual indication will. It takes two tabs to move between elements.
2.4.11 - Focus Appearance	For elements receiving keyboard focus, its focus indicator must be at least partially visible and not obscured by author-created content which overlays it, unless the focused element can be revealed without requiring the user to advance focus in the UI	N/A	When you type in the search bar it brings up a menu that hides all other focus. Is impossible to close this menu
2.5.3 - Label in Name	If a native widget has a visible label or instructions, they must be programmatically determinable	#moduleIframe, #Scotland	N/A
2.5.3 - Label in Name	If a native widget has a visible label or instructions, they must be programmatically determinable	#moduleIframe, #England	N/A
2.5.3 - Label in Name	If a native widget has a visible label or instructions, they must be programmatically determinable	#moduleIframe, #Wales	N/A
2.5.3 - Label in Name	If a native widget has a visible label or instructions, they must be programmatically determinable	#moduleIframe, .ml-2	N/A
2.5.3 - Label in Name	If a native widget has a visible label or instructions, they must be programmatically determinable	#moduleIframe, .md\:px-8	N/A
3.2.1 - On Focus	Navigating to a component must not trigger any unexpected change of context	N/A	Whenever you tab off of an element it seems to stay focused on that element till

WCAG Number and Description	Requirement Description	Location	Comment
			you press tab again. The focus indicator disappears after the first one meaning you don't know where you are.
3.3.2 - Labels or Instructions	A native widget must have a label and/or instructions that identify the expected input	#moduleIframe, .ml-2	N/A
3.3.2 - Labels or Instructions	A native widget must have a label and/or instructions that identify the expected input	#moduleIframe, #Northern\ Ireland	N/A
4.1.2 - Name, Role, Value	A frame or iframe must have a title that describes its content	#moduleIframe	N/A

Webpage identifier

Friendly Name	Magazines
Template Type :	PAGE
URL Identifier :	https://yourlibrary.edinburgh.gov.uk/web/arena/magazines
Effective Pages :	1

Dashboard Data



List of WCAG Failures

WCAG Number and Description	Requirement Description	Location	Comment
1.1.1 - Non-text Content	Images must have alternate text	picture[data-fileentryid="379695"] > img	N/A
1.1.1 - Non-text Content	Images must have alternate text	picture[data-fileentryid="358535"] > img	N/A
1.1.1 - Non-text Content	Images must have alternate text	picture[data-fileentryid="379589"] > img	N/A
1.1.1 - Non-text Content	Every image must be coded as either meaningful or decorative	picture[data-fileentryid="379589"] > img	N/A
1.1.1 - Non-text Content	A meaningful image must have a text alternative that serves the equivalent purpose	img[alt="Arena"]	N/A
1.3.1 - Info and Relationships	A landmark region must have the role that best describes its content	#_com_liferay_nested_portlets_web_portlet_NestedPortletsPortlet_INSTANCE_SkaRDIKcZkUy_main-content	N/A
1.3.1 - Info and Relationships	A landmark region must have the role that best describes its content	#yefg_quickAccessNav	N/A
1.3.1 - Info and Relationships	The main landmark must contain all of the page's primary content	N/A	Main landmark only contains two sub sections
1.3.1 - Info and Relationships	An element coded as a heading must function as a heading	h4:nth-child(3)	N/A
1.3.1 - Info and Relationships	An element coded as a heading must function as a heading	h4:nth-child(4)	N/A

WCAG Number and Description	Requirement Description	Location	Comment
1.3.1 - Info and Relationships	An element coded as a heading must function as a heading	h4:nth-child(5)	N/A
1.3.1 - Info and Relationships	An element coded as a heading must function as a heading	h4:nth-child(6)	N/A
1.3.1 - Info and Relationships	Text that looks like a heading must be coded as a heading	N/A	Bold text at start of section but no heading - To give you a range of titles we have two magazine services:
1.3.1 - Info and Relationships	Text that looks like a heading must be coded as a heading	N/A	Bold text at start of section but no heading - Getting Started
1.3.1 - Info and Relationships	A heading's programmatic level must match the level that's presented visually	#portlet_com_liferay_journal_content_web_portlet_JournalContentPortlet_INSTANCE_33cpgHfWaamm > .portlet-content > .portlet-header.portlet-title-text	N/A
1.3.1 - Info and Relationships	A heading's programmatic level must match the level that's presented visually	#portlet_com_liferay_journal_content_web_portlet_JournalContentPortlet_INSTANCE_BzHTOwA99Jk > .portlet-content > .portlet-header.portlet-title-text	N/A
1.3.1 - Info and Relationships	A heading's programmatic level must match the level that's presented visually	#portlet_com_liferay_journal_content_web_portlet_JournalContentPortlet_INSTANCE_Sqhu2fD3ojLv > .portlet-content > .portlet-header.portlet-title-text	N/A
1.3.1 - Info and Relationships	Lists must be contained within semantically correct containers	N/A	Two lists both unmarked Libby and Press reader

WCAG Number and Description	Requirement Description	Location	Comment
1.3.1 - Info and Relationships	Lists must be contained within semantically correct containers	N/A	Getting started two list items not in list Join the library Click on the links
1.3.2 - Meaningful Sequence	Meaningful content positioned on the page using CSS must retain its meaning when CSS is disabled	N/A	When you linearize the menu takes up most of the page meaning you can't see the rest of the page
1.4.1 - Use of Color	Color must not be used as the only visual means for conveying meaning	N/A	Links Libby and press reader don't get underlines
1.4.4 - Resize text	Zooming and scaling must not be disabled	meta[name="viewport"]	N/A
1.4.5 - Images of Text	Images of text are allowed only where a specific appearance is required (e.g., logotypes)	img[alt="Arena"]	N/A
1.4.10 - Reflow	Content must be visible without having to scroll in two dimensions	N/A	menu bar takes up whole screen on reflow
1.4.12 - Text Spacing	Users must be able to adjust text spacing with no loss of content or functionality	N/A	The Libby reading app
1.4.12 - Text Spacing	Users must be able to adjust text spacing with no loss of content or functionality	N/A	Ess reader app

WCAG Number and Description	Requirement Description	Location	Comment
2.1.1 - Keyboard	A custom widget must support the keyboard interaction specified by its design pattern	.cc_footer	N/A
2.4.1 - Bypass Blocks	The main landmark must contain all of the page's primary content	N/A	Main landmark only contains two sub sections Libby and press reader
2.4.3 - Focus Order	Components must receive focus in an order that preserves meaning and operability	N/A	The focus moved to the Libby and press reader links before then moving up to the search and advanced search bar. then back down
2.4.4 - Link Purpose (In Context)	Links must have discernible text	#portlet_com_liferay_journal_content_web_portlet_JournalContentPortlet_INSTANCE_BzHTOwA99Jjk > .portlet-content > .portlet-content-container > .portlet-body > .journal-content-article > a	N/A
2.4.4 - Link Purpose (In Context)	Links must have discernible text	a[href\$="pressreader"][target="_self"]	N/A
2.4.4 - Link Purpose (In Context)	Links must have discernible text	#portlet_com_liferay_journal_content_web_portlet_JournalContentPortlet_INSTANCE_G9ExpfGEwjHs > .portlet-content > .portlet-content-container > .portlet-body > .journal-content-article > a[target="_self"]	N/A
2.4.4 - Link Purpose (In Context)	The purpose of a link must be described by its link text alone, or by the link text together with preceding page context	.logo	N/A

WCAG Number and Description	Requirement Description	Location	Comment
2.4.4 - Link Purpose (In Context)	The purpose of a link must be described by its link text alone, or by the link text together with preceding page context	#portlet_com_liferay_journal_content_web_portlet_JournalContentPortlet_INSTANCE_BzHTOWA99JJK > .portlet-content > .portlet-content-container > .portlet-body > .journal-content-article > a	N/A
2.4.4 - Link Purpose (In Context)	The purpose of a link must be described by its link text alone, or by the link text together with preceding page context	a[href\$="pressreader"][target="_self"]	N/A
2.4.4 - Link Purpose (In Context)	The purpose of a link must be described by its link text alone, or by the link text together with preceding page context	#portlet_com_liferay_journal_content_web_portlet_JournalContentPortlet_INSTANCE_G9ExpfGEwjHs > .portlet-content > .portlet-content-container > .portlet-body > .journal-content-article > a[target="_self"]	N/A
2.4.6 - Headings and Labels	An element coded as a heading must function as a heading	h4:nth-child(3)	N/A
2.4.6 - Headings and Labels	An element coded as a heading must function as a heading	h4:nth-child(4)	N/A
2.4.6 - Headings and Labels	An element coded as a heading must function as a heading	h4:nth-child(5)	N/A
2.4.6 - Headings and Labels	An element coded as a heading must function as a heading	h4:nth-child(6)	N/A
2.4.6 - Headings and Labels	Text that looks like a heading must be coded as a heading	N/A	Bold text at start of section but no heading - To give you a range of titles we have


WCAG Number and Description	Requirement Description	Location	Comment
			two magazine services:
2.4.6 - Headings and Labels	Text that looks like a heading must be coded as a heading	N/A	Bold text at start of section but no heading - Getting Started
2.4.7 - Focus Visible	Components must provide a visible indication when they have the input focus	N/A	No visible focus at all
3.2.3 - Consistent Navigation	Navigational mechanisms that appear on multiple pages must be presented in the same relative order	N/A	The whole footer is different than the rest of Edinburgh site
3.2.4 - Consistent Identification	Functional components that appear on multiple pages must be identified consistently	N/A	Search bar and footer all differ from the rest of Edinburgh site
3.3.2 - Labels or Instructions	A custom widget must have a label and/or instructions that identify the expected input	.arena-feedback	N/A
3.3.2 - Labels or Instructions	A custom widget must have a label and/or instructions that identify the expected input	.cc_footer	N/A
4.1.2 - Name, Role, Value	Buttons must have discernible text	.cc_footer	N/A
4.1.2 - Name, Role, Value	Links must have discernible text	#portlet_com_liferay_journal_content_web_portlet_JournalContentPortlet_INSTANCE_BzHTOwA99Jk > .portlet-content > .portlet-content-container > .portlet-body > .journal-content-article > a	N/A

WCAG Number and Description	Requirement Description	Location	Comment
4.1.2 - Name, Role, Value	Links must have discernible text	a[href\$="pressreader"][target="_self"]	N/A
4.1.2 - Name, Role, Value	Links must have discernible text	#portlet_com_liferay_journal_content_web_portlet_JournalContentPortlet_INSTANCE_G9ExpfGEwjHs > .portlet-content > .portlet-content-container > .portlet-body > .journal-content-article > a[target="_self"]	N/A
4.1.2 - Name, Role, Value	A custom widget must have the appropriate ARIA widget role for its design pattern	.arena-feedback	N/A
4.1.2 - Name, Role, Value	A custom widget must have the appropriate ARIA widget role for its design pattern	.cc_footer	N/A
4.1.2 - Name, Role, Value	A custom widget must support the ARIA roles, states, and properties specified by its design pattern	.arena-feedback	N/A
4.1.2 - Name, Role, Value	A custom widget must support the ARIA roles, states, and properties specified by its design pattern	.cc_footer	N/A

Webpage identifier

Friendly Name	Scottish Welfare
Template Type :	PAGE
URL Identifier :	https://www.edinburgh.gov.uk/benefits-grants/scottish-welfare-fund/2?documentId=12271&categoryId=20127#top
Effective Pages :	1

Dashboard Data




List of WCAG Failures

WCAG Number and Description	Requirement Description	Location	Comment
1.3.1 - Info and Relationships	A heading's programmatic level must match the level that's presented visually	.page-subheading	N/A
1.3.1 - Info and Relationships	A heading's programmatic level must match the level that's presented visually	.supplement_heading	N/A

Webpage identifier

Friendly Name	Cookie
Template Type :	Cookie - WIDGET
URL Identifier :	https://www.edinburgh.gov.uk/
Effective Pages :	1

Dashboard Data




List of WCAG Failures

WCAG Number and Description	Requirement Description	Location	Comment
1.3.2 - Meaningful Sequence	Meaningful content positioned on the page using CSS must retain its meaning when CSS is disabled	N/A	linearize reflow breaks Cookies page link

Webpage identifier

Friendly Name	Header
Template Type :	BANNER
URL Identifier :	https://www.edinburgh.gov.uk/
Effective Pages :	1

Dashboard Data



List of WCAG Failures

WCAG Number and Description	Requirement Description	Location	Comment
1.4.11 - Non-text Contrast	Visual information used to identify active user interface components and their states must have sufficient contrast	.list__link[href\$="term-dates"]	N/A
2.4.4 - Link Purpose (In Context)	The purpose of a link must be described by its link text alone, or by the link text together with preceding page context	.list__link[href\$="myaccount"]	N/A
2.4.11 - Focus Appearance	For elements receiving keyboard focus, its focus indicator must be at least partially visible and not obscured by author-created content which overlays it, unless the focused element can be revealed without requiring the user to advance focus in the UI	N/A	Menu bar obscures focusable content and can't be dismissed by pressing esc.
3.2.4 - Consistent Identification	Functional components that appear on multiple pages must be identified consistently	N/A	Speak / translate - When zoomed it is re-labelled as button
3.2.4 - Consistent Identification	Functional components that appear on multiple pages must be identified consistently	N/A	Menu button when zoomed and icons change to smaller version changes to js-menu because there is no accessible name.
3.2.4 - Consistent Identification	Functional components that appear on multiple pages must be identified consistently	N/A	Search button when zoomed and icons change to smaller version changes to js-search. menu

WCAG Number and Description	Requirement Description	Location	Comment
			because there is no accessible name.
4.1.2 - Name, Role, Value	If an anchor element functions as a custom widget, it must have the appropriate ARIA widget role	#js-search-toggle	N/A
4.1.2 - Name, Role, Value	If an anchor element functions as a custom widget, it must have the appropriate ARIA widget role	#js-menu-toggle	N/A

